

# SAFETY DATA SHEET

Issuing Date 08-Apr-2015 Revision Date: 08-Apr-2015 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ADVANCE WATERBORNE INTERIOR ALKYD STAIN - BASE 3

Product Code 7923X

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.101 Paragon DriveBainbridge House

Montvale, NJ 07645 86-90 London Road Phone: 855-724-6802 Manchester www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# **Section 2: HAZARDS IDENTIFICATION**

2.1.

#### REGULATION (EC) No 1272/2008

Classification not possible

#### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

#### Symbol(s)

Not dangerous

2.2.

Product Identifier

Classification not possible

Signal word

None

EUH208 - Contains (Tetramethyl-5-decyne-4,7-diol, 2,4,7,9-). May produce an allergic reaction

2.3.

General Hazards No information available.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

#### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Limestone	215-279-6	1317-65-3	10	Unclassified		Not available
Kaolin	310-194-1	1332-58-7	10	Unclassified		Not available
Titanium dioxide	236-675-5	13463-67-7	5	Unclassified		Not available
Propylene glycol	200-338-0	57-55-6	5	Unclassified		Not available
Tetramethyl-5-decyne-4,7-diol, 2,4,7,9-	204-809-1	126-86-3	0.5	Xi;R36 R52/53	Eye Dam. 1 (H318) Skin Sens. 1 (H317) Chronic Aquatic 3 (H412)	Not available

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

4.1.

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

**Skin Contact** Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 08-Apr-2015

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and afterwards drink plenty of water.

Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

7923X - ADVANCE WATERBORNE INTERIOR ALKYD STAIN - BASE 3

Most Important Symptoms/Effects None known

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 08-Apr-2015

Unsuitable Extinguishing Media No information available

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or extreme

heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

<u>5.3.</u>

Protective Equipment And Precautions For Firefighters Wear self-contained breathing apparatus and protective suit.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate

ventilation.

Other Information Observe all relevant local and international regulations.

<u>6.2.</u>

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment

Aborb with inert material and place in suitable container for

disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

6.4.

Other information See Section 12 for additional information.

# **Section 7: HANDLING AND STORAGE**

<u>7.1.</u>

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 08-Apr-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

<u>7.2.</u>

Storage Keep container tightly closed. Keep out of the reach of

children.

<u>7.3.</u>

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

## **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Limestone		TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 1.0 f/cm3		TWA: 10 mg/m <sup>3</sup>
1317-65-3		TWA: 4 mg/m <sup>3</sup>		TWA: 10.0 mg/m <sup>3</sup>		TWA: 5 mg/m <sup>3</sup>
		STEL: 12 mg/m <sup>3</sup>				
		STEL: 30 mg/m <sup>3</sup>				
Kaolin		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3.0 mg/m <sup>3</sup>		
1332-58-7		STEL: 6 mg/m <sup>3</sup>		TWA: 6.0 mg/m <sup>3</sup>		
Titanium dioxide		TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>				TWA: 5 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>				
		STEL: 12 mg/m <sup>3</sup>				
Propylene glycol		TWA: 10 mg/m <sup>3</sup>				
57-55-6		TWA: 150 ppm				
		TWA: 474 mg/m <sup>3</sup>				
		STEL: 1422 mg/m <sup>3</sup>				
		STEL: 30 mg/m <sup>3</sup>				
		STEL: 450 ppm				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Limestone	TWA: 10 mg/m <sup>3</sup>					
1317-65-3	TWA: 4 mg/m <sup>3</sup>					
Kaolin	TWA: 2 mg/m <sup>3</sup>			NDS: 10.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	VLA-ED: 2 mg/m <sup>3</sup>
1332-58-7						
Titanium dioxide	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
13463-67-7	TWA: 4 mg/m <sup>3</sup>			STEL: 30 mg/m <sup>3</sup>	STEL: 15 mg/m <sup>3</sup>	
Propylene glycol	TWA: 150 ppm	TWA: 7 mg/m <sup>3</sup>	IPRV: 7 mg/m <sup>3</sup>			
57-55-6	TWA: 470 mg/m <sup>3</sup>					
	TWA: 10 mg/m <sup>3</sup>					

8.2.

7923X - ADVANCE WATERBORNE INTERIOR ALKYD STAIN - BASE 3

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas

**Personal Protective Equipment** 

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing

Hand protection Impervious gloves

**Hygiene Measures** Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash thoroughly

Revision Date: 08-Apr-2015

after handling.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

9.1.

**Appearance** liquid

**Odor** little or no odor

Odor Threshold No information available

Revision Date: 08-Apr-2015

Property	<u>Values</u>	Remarks/ Method
Density (g/L)	1162 - 1210	None known
Relative Density	1.16 - 1.21	None known
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility	No information available	None known
Water Solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor Pressure	No information available	None known
Vapor Density	No information available	None known
Wt. % Solids	40 - 50	None known
Vol. % Solids	35 - 45	None known
Wt. % Volatiles	50 - 60	None known
Vol. % Volatiles	55 - 65	None known
VOC Regulatory Limit (g/L)	< 50	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available.	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

# Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity Not Applicable

10.2.

Chemical Stability Stable under normal conditions

10.3.

Possibility Of Hazardous Reactions None under normal conditions of use

10.4.

Conditions To Avoid Prevent from freezing

10.5.

Incompatible Materials No materials to be especially mentioned

7923X - ADVANCE WATERBORNE INTERIOR ALKYD

STAIN - BASE 3

Revision Date: 08-Apr-2015

10.6.

Hazardous Decomposition Products

None under normal use

# Section 11: TOXICOLOGICAL INFORMATION

#### 11.1.

#### **Product Information**

**Inhalation** There is no data available for this product

**Eye contact**There is no data available for this product.

**Skin contact** There is no data available for this product.

**Ingestion** There is no data available for this product.

#### **Acute Toxicity**

#### Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg(Rat)		
Propylene glycol 57-55-6	= 20000 mg/kg ( Rat )	= 20800 mg/kg ( Rabbit )	

Skin corrosion/irritation No information available.

**Eye damage/irritation**No information available.

Sensitization: No sensitizing effects known.

Mutagenic Effects No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

 Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive EffectsNo information available.Developmental EffectsNo information available.STOT - single exposureNo information available.

Revision Date: 08-Apr-2015

STOT - repeated exposure

No information available.

Neurological Effects

No information available.

Target Organ Effects:

No information available.

Symptoms

No information available

# Section 12: ECOLOGICAL INFORMATION

#### 12.1. Toxicity

**Aspiration Hazard** 

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Propylene glycol	EC50 = 19000 mg/L (96 h)	LC50 41 - 47 mL/L Oncorhynchus	EC50 > 1000 mg/L (48 h)
57-55-6		mykiss (96 h)	
		LC50 = 51400 mg/L Pimephales	
		promelas (96 h)	
		LC50 = 51600 mg/L Oncorhynchus	
		mykiss (96 h)	
		LC50 = 710 mg/L Pimephales	
		promelas (96 h)	

No information available

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

12.4.

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available.

## Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

**EWC waste disposal No**No information available.

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 08-Apr-2015

## Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

## Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Limestone	-
1317-65-3	
Kaolin	-
1332-58-7	
Titanium dioxide	-
13463-67-7	
Propylene glycol	RG 84
57-55-6	
Tetramethyl-5-decyne-4,7-diol, 2,4,7,9-	-
126-86-3	

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **International Inventories**

AICS: Australia No - Not all of the components are listed.

7923X - ADVANCE WATERBORNE INTERIOR ALKYD STAIN - BASE 3

**DSL: Canada**No - Not all of the components are listed.

One or more component is listed on NDSL.

EINECS: European Union

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

KECL: South KoreaNo - Not all of the components are listed.PICCS: PhilippinesNo - Not all of the components are listed.TSCA: United StatesYes - All components are listed or exempt.

### Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

**Chemical Safety Report** 

No information available

Revision Date: 08-Apr-2015

## Section 16: OTHER INFORMATION

### Text of R phrases mentioned in Sections 2 & 3

R36 - Irritating to eyes

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 3

H318 - Causes serious eye damage

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

**Key literature references and sources for data**Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

855-724-6802

**Issuing Date** 08-Apr-2015

Revision Date: 08-Apr-2015

Revision Summary Change to Format

Revision Date: 08-Apr-2015

#### **Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**