

# **SAFETY DATA SHEET**

Issuing Date 18-Aug-2015 Revision Date: 18-Aug-2015 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 3

Product Code 6293X Product List 6293X C2

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.101 Paragon DriveBainbridge House

Montvale, NJ 07645 86-90 London Road Phone: 855-724-6802 Manchester www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# **Section 2: HAZARDS IDENTIFICATION**

#### 2.1.

### REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

#### 2.2.

#### **Product Identifier**

Contains 2-Methyl-4-isothiazolin-3-one



6293X - AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 3

Revision Date: 18-Aug-2015

#### **Hazard statements**

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

# Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

## 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	5		Not available
Barium sulfate	231-784-4	7727-43-7	5		Not available
Diatomaceous earth	-	61790-53-2	5		Not available
Zinc oxide	215-222-5	1314-13-2	5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
Urea, N-(3,4-dichlorophenyl)-N,N-di methyl-	206-354-4	330-54-1	0.3	Acute Tox. 4 (H302) STOT RE 2 (H373) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

<u>4.1.</u>

Description of first aid measures

**General Advice** 

No hazards which require special first aid measures.

6293X - AURA WATERBORNE EXTERIOR FLAT

FINISH - BASE 3

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 18-Aug-2015

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

<u>4.2.</u>

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects May of

May cause allergic skin reaction

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

5.3.

Protective Equipment And Precautions For Wear self-contained breathing apparatus and protective

Firefighters suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6293X - AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 3

6.2.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

<u>6.3.</u>

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

# **Section 7: HANDLING AND STORAGE**

<u>7.1.</u>

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 18-Aug-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

<u>7.2.</u>

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## 8.1.

# **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide		TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		TWA: 10 mg/m <sup>3</sup>
13463-67-7		TWA: 4 mg/m <sup>3</sup>				TWA: 5 mg/m <sup>3</sup>
		STEL: 30 mg/m <sup>3</sup>				
		STEL: 12 mg/m <sup>3</sup>				
Barium sulfate		TWA: 10 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup>		
7727-43-7		TWA: 4 mg/m <sup>3</sup>				
		STEL: 30 mg/m <sup>3</sup>				
		STEL: 12 mg/m <sup>3</sup>				
Diatomaceous earth		TWA: 1.2 mg/m <sup>3</sup>	TWA: 3 mg/m <sup>3</sup>	TWA: 1.0 mg/m <sup>3</sup>		
61790-53-2		STEL: 3.6 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>			

.....

Zinc oxide	STE	EL: 10 mg/m <sup>3</sup>	TWA: 5.0 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>
1314-13-2	TW	'A: 10 mg/m <sup>3</sup>	STEL: 10.0 mg/m <sup>3</sup>	STEL: 10 mg/m <sup>3</sup>
	TW	VA: 5 mg/m <sup>3</sup>		

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide 13463-67-7 ( 4.10045 )	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Barium sulfate 7727-43-7 ( 3.56592 )	TWA: 2 mg/m <sup>3</sup>					TWA: 10 mg/m <sup>3</sup>
Diatomaceous earth 61790-53-2 ( 2.72624 )				NDS: 10 mg/m <sup>3</sup> NDS: 2.0 mg/m <sup>3</sup>		VLA-ED: 10 mg/m <sup>3</sup> VLA-ED: 3 mg/m <sup>3</sup>
Zinc oxide 1314-13-2 ( 1.62758 )	TWA: 2 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 0.5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup> STEL: 10 mg/m <sup>3</sup>

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 18-Aug-2015

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance liquid

**Odor** little or no odor

Odor Threshold No information available

Values Remarks/ Method **Property** 1294 - 1342 None known Density (g/L) **Relative Density** 1.29 - 1.35 None known pН No information available None known None known Viscosity (cps) No information available No information available Solubility None known No information available **Water Solubility** None known No information available **Evaporation Rate** None known **Vapor Pressure** No information available None known **Vapor Density** No information available None known Wt. % Solids 50 - 60 None known 35 - 45 Vol. % Solids None known 40 - 50 Wt. % Volatiles None known 55 - 65 Vol. % Volatiles None known

6293X - AURA WATERBORNE EXTERIOR FLAT

**FINISH - BASE 3** 

Revision Date: 18-Aug-2015

VOC Regulatory Limit (g/L) < 50 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) 250 None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition Coefficient (n-octanol/water) No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

# Section 10: STABILITY AND REACTIVITY

10.1.

**Reactivity** Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

10.3.

Possibility Of Hazardous Reactions

None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

10.5.

Incompatible Materials No materials to be especially mentioned.

10.6.

Hazardous Decomposition Products

None under normal use.

# Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

## **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

**Ingestion** There is no data available for this product.

Revision Date: 18-Aug-2015

#### **Acute Toxicity**

### Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)		
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl - 330-54-1	= 1017 mg/kg (Rat)		> 0.265 mg/L (Rat)

**Skin corrosion/irritation**No information available.

Eye damage/irritation No information available.

**Sensitization:** May cause an allergic skin reaction.

Mutagenic Effects No information available.

### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		_
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	Carc. 2	
330-54-1		

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes:

IARC - International Agency for Research on Cancer

**Reproductive Effects**No information available.

**Developmental Effects**No information available.

STOT - single exposure No information available.

**STOT - repeated exposure**No information available.

Neurological Effects No information available.

Target Organ Effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

# **Section 12: ECOLOGICAL INFORMATION**

<sup>&</sup>quot;No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

## 12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Urea,	EC50 = 0.036 mg/L (72 h) EC50 <	LC50 13.4 - 15 mg/L Pimephales	EC50 = 1.4 mg/L (48 h) EC50 6.3 -
N-(3,4-dichlorophenyl)-N,N-dimethyl	0.1 mg/L (72 h)	promelas (96 h) LC50 2.3 - 3.3	13 mg/L (48 h)
		mg/L Lepomis macrochirus (96 h)	
330-54-1		LC50 = 4 mg/L Lepomis	
		macrochirus (96 h) LC50 1.5 - 2.54	
		mg/L Oncorhynchus mykiss (96 h)	
		LC50 = 14.7 mg/L Oncorhynchus	
		mykiss (96 h) LC50 = 2.9 mg/L	
		Cyprinus carpio (96 h)	

12.2.

Persistence / Degradability

No information available.

Revision Date: 18-Aug-2015

12.3.

**Bioaccumulation / Accumulation** 

No information available.

Chemical Name	log Pow =
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	2.82
330-54-1	

<u>12.4.</u>

Mobility in soil No information available.

**Mobility in Environmental Media**No information available.

12.5.

PBT and vPvB assessment No information available.

<u>12.6.</u>

Other adverse effects No information available

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Urea,	Group II Chemical		
N-(3,4-dichlorophenyl)-N,N-d			
imethyl-			

# **Section 13: DISPOSAL CONSIDERATIONS**

<u>13.1.</u>

**Waste from Residues/Unused Products** 

Dispose of in accordance with the European Directives on waste and hazardous waste.

6293X - AURA WATERBORNE EXTERIOR FLAT

**FINISH - BASE 3** 

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 18-Aug-2015

# Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# Section 15: REGULATORY INFORMATION

## 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

## Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Diatomaceous earth 61790-53-2	RG 25

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

## **International Inventories**

AICS: Australia

No - Not all of the components are listed.

DSL: Canada

No - Not all of the components are listed.

One or more component is listed on NDSL.

EINECS: European Union

No - Not all of the components are listed.

EINECS: European Union

ENCS: Japan

No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.
No - Not all of the components are listed.

**TSCA: United States**Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

**Chemical Safety Report** 

No information available

Revision Date: 18-Aug-2015

# Section 16: OTHER INFORMATION

### Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H351 - Suspected of causing cancer

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Classification procedure: Expert judgment and weight of evidence determination

**Key literature references and sources for data**Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

855-724-6802

**Issuing Date** 18-Aug-2015

Revision Date: 18-Aug-2015

Revision Summary Change to Format

#### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**