

SAFETY DATA SHEET

Issuing Date 18-Aug-2015 Revision Date: 18-Aug-2015 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 4

Product Code 6294X Product List 6294X C2

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

Manufacturer
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
Phone: 855-724-6802

www.benjaminmoore.com

Only Representative (OR)
ITS Testing Services (UK) Ltd.
Bainbridge House

86-90 London Road Manchester United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2.

Product Identifier

Contains 2-Methyl-4-isothiazolin-3-one



6294X - AURA WATERBORNE EXTERIOR FLAT **FINISH - BASE 4**

Revision Date: 18-Aug-2015

Hazard statements

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

Precautionary Statements - EU (§28, 1272/2008)

P273 - Avoid release to the environment

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Barium sulfate	231-784-4	7727-43-7	5		Not available
Diatomaceous earth	-	61790-53-2	5		Not available
Zinc oxide	215-222-5	1314-13-2	5	Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
Urea, N-(3,4-dichlorophenyl)-N,N-di methyl-	206-354-4	330-54-1	0.3	Acute Tox. 4 (H302) STOT RE 2 (H373) Carc. 2 (H351) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

<u>4.1.</u>

Description of first aid measures

General Advice No hazards which require special first aid measures.

Rinse thoroughly with plenty of water for at least 15 **Eye Contact**

minutes and consult a physician.

6294X - AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 4

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 18-Aug-2015

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

<u>4.2.</u>

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

5.3.

Protective Equipment And Precautions For

Firefighters

Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

6294X - AURA WATERBORNE EXTERIOR FLAT

FINISH - BASE 4

Environmental Precautions Prevent further leakage or spillage if safe to do so.

<u>6.3.</u>

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 18-Aug-2015

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

<u>7.2.</u>

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Barium sulfate 7727-43-7		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		
Diatomaceous earth 61790-53-2		TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 1.0 mg/m ³		
Zinc oxide 1314-13-2			STEL: 10 mg/m ³ TWA: 10 mg/m ³ TWA: 5 mg/m ³	TWA: 5.0 mg/m ³ STEL: 10.0 mg/m ³		TWA: 5 mg/m ³ STEL: 10 mg/m ³

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Barium sulfate	TWA: 2 mg/m ³					TWA: 10 mg/m ³
7727-43-7 (3.6598)	_					•

Diatomaceous earth 61790-53-2 (2.79807)				NDS: 10 mg/m ³ NDS: 2.0 mg/m ³		VLA-ED: 10 mg/m ³ VLA-ED: 3 mg/m ³
Zinc oxide 1314-13-2 (1.856)	TWA: 2 mg/m ³ STEL: 10 mg/m ³	TWA: 0.5 mg/m ³	TWA: 5 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 2 mg/m ³ STEL: 10 mg/m ³

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 18-Aug-2015

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Values Property Remarks/ Method Density (g/L) 1258 - 1306 None known **Relative Density** 1.25 - 1.31None known pН No information available None known Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known **Vapor Density** No information available None known Wt. % Solids 50 - 60 None known Vol. % Solids 35 - 45None known 40 - 50 Wt. % Volatiles None known 55 - 65 Vol. % Volatiles None known VOC Regulatory Limit (g/L) < 50 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known

6294X - AURA WATERBORNE EXTERIOR FLAT

FINISH - BASE 4

Revision Date: 18-Aug-2015

Lower Explosion Limit No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition Coefficient (n-octanol/water) No information available None known No information available **Explosive properties** None known No information available **Oxidizing Properties** None known

Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

10.5.

Incompatible Materials No materials to be especially mentioned.

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Ingestion There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:

6294X - AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 4

Revision Date: 18-Aug-2015

Zinc oxide 1314-13-2	> 5000 mg/kg (Rat)	
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl	= 1017 mg/kg(Rat)	> 0.265 mg/L (Rat)
330-54-1		

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization: May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl- 330-54-1	Carc. 2	

IARC - International Agency for Research on Cancer

Reproductive Effects

No information available.

Developmental Effects

No information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Neurological Effects No information available.

Target Organ Effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Urea,	EC50 = 0.036 mg/L (72 h) EC50 <	LC50 13.4 - 15 mg/L Pimephales	EC50 = 1.4 mg/L (48 h) EC50 6.3 -
N-(3,4-dichlorophenyl)-N,N-dimethyl	0.1 mg/L (72 h)	promelas (96 h) LC50 2.3 - 3.3	13 mg/L (48 h)
		mg/L Lepomis macrochirus (96 h)	- ' '
330-54-1		LC50 = 4 mg/L Lepomis	
		macrochirus (96 h) LC50 1.5 - 2.54	
		mg/L Oncorhynchus mykiss (96 h)	
		LC50 = 14.7 mg/L Oncorhynchus	
		mykiss (96 h) LC50 = 2.9 mg/L	
		Cyprinus carpio (96 h)	

6294X - AURA WATERBORNE EXTERIOR FLAT

FINISH - BASE 4

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation

No information available.

Revision Date: 18-Aug-2015

Chemical Name	log Pow =
Urea, N-(3,4-dichlorophenyl)-N,N-dimethyl-	2.82
330-54-1	

12.4.

Mobility in soilNo information available.Mobility in Environmental MediaNo information available.

12.5.

PBT and vPvB assessment No information available.

<u>12.6.</u>

Other adverse effects No information available

Chemical Name	EU - Endocrine Disrupters Candidate List	EU - Endocrine Disruptors - Evaluated Substances	Japan - Endocrine Disruptor Information
Urea,	Group II Chemical		
N-(3,4-dichlorophenyl)-N,N-d	-		
imethyl-			

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

Revision Date: 18-Aug-2015

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Diatomaceous earth	RG 25
61790-53-2	

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia

No - Not all of the components are listed.

No - Not all of the components are listed.

One or more component is listed on NDSL.

No - Not all of the components are listed.

ENCS : Japan

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

PICCS: Philippines
No - Not all of the components are listed.

TSCA: United States
Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

6294X - AURA WATERBORNE EXTERIOR FLAT FINISH - BASE 4

Full text of H-Statements referred to under section 3

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H302 - Harmful if swallowed

H373 - May cause damage to organs through prolonged or repeated exposure

H351 - Suspected of causing cancer

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 18-Aug-2015

855-724-6802

Issuing Date 18-Aug-2015

Revision Date: 18-Aug-2015

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet