

## SAFETY DATA SHEET

Issuing Date 02-Apr-2015 Revision Date: 02-Apr-2015 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name AURA WATERBORNE INTERIOR PAINT MATTE FINISH BASE 4

Product Code 5224X

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

Manufacturer Only Representative (OR)

Benjamin Moore & Co.

101 Paragon Drive

Montvale, NJ 07645

Phone: 855-724-6802

www.benjaminmoore.com

ITS Testing Services (UK) Ltd.

Bainbridge House

86-90 London Road

Manchester

United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

## Section 2: HAZARDS IDENTIFICATION

### 2.1.

### REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

### Symbol(s)

Xi - Irritant

### R-code(s)

Xi;R37/38 - Xi;R41 - R43 - R52-53

### 2.2.

### **Product Identifier**

Revision Date: 02-Apr-2015



Signal word Warning

### **Hazard statements**

H317 - May cause an allergic skin reaction

H412 - Harmful to aquatic life with long lasting effects

## Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P273 - Avoid release to the environment

2.3.

**General Hazards** 

No information available.

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

## 3.1. Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Calcium carbonate	207-439-9	471-34-1	20	Unclassified		Not available
Kaolin	310-194-1	1332-58-7	10	Unclassified		Not available
Silica, amorphous	231-545-4	7631-86-9	5	Unclassified		Not available
Hexanedioic acid, dihydrazide	213-999-5	1071-93-8	0.5	Xi;R36/37/38	Skin Sen. 1 (H317) Chronic Aquatic Cat. 2 (H411)	Not available
Zinc Pyrithione	236-671-3	13463-41-7	0.5	Xn;R22 T;R23 Xi;R41 N;R50	Acute Tox. 3 (H331) Acute Tox. 3 (H301) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	0.1	Xn; R22 Xi; R38-41 R43 N; R50	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	C;R34 Xn;R22 T;R23 R43 N; R50	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

## **Section 4: FIRST AID MEASURES**

4.1.

**Description of first aid measures** 

**General Advice**No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 02-Apr-2015

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

**Ingestion** Clean mouth with water and afterwards drink plenty of water.

Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3.

Indication of any immediate medical attention and special treatment needed

\_\_\_\_\_

Notes To Physician Treat symptomatically.

## **Section 5: FIRE FIGHTING MEASURES**

5.1.

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 02-Apr-2015

Unsuitable Extinguishing Media No information available

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or extreme

heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

<u>5.3.</u>

Protective Equipment And Precautions For Firefighters Wear self-contained breathing apparatus and protective suit.

## Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate

ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment Aborb with inert material and place in suitable container for

disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

6.4.

Other information See Section 12 for additional information.

## Section 7: HANDLING AND STORAGE

7.1.

# 5224X - AURA WATERBORNE INTERIOR PAINT MATTE FINISH BASE 4

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 02-Apr-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

<u>7.3.</u>

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable

## Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1.

## **Exposure limits**

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Kaolin		TWA: 2 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	TWA: 3.0 mg/m <sup>3</sup>		
1332-58-7		STEL: 6 mg/m <sup>3</sup>		TWA: 6.0 mg/m <sup>3</sup>		
Silica, amorphous		TWA: 2.4 mg/m <sup>3</sup>				
7631-86-9		TWA: 6 mg/m <sup>3</sup>				
		STEL: 18 mg/m <sup>3</sup>				
		STEL: 7.2 mg/m <sup>3</sup>				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Kaolin 1332-58-7	TWA: 2 mg/m <sup>3</sup>			NDS: 10.0 mg/m <sup>3</sup>	TWA: 2 mg/m <sup>3</sup>	VLA-ED: 2 mg/m <sup>3</sup>
Calcium carbonate 471-34-1		TWA: 6 mg/m <sup>3</sup>		NDS: 10 mg/m <sup>3</sup>		VLA-ED: 10 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>				

### 8.2.

### Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas

**Personal Protective Equipment** 

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing

Hand protection Impervious gloves

**Hygiene Measures** 

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Revision Date: 02-Apr-2015

## Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

**Appearance** liquid

little or no odor Odor

No information available **Odor Threshold** 

Property	Values	Remarks/ Method
Density (g/L)	1234 - 1270	None known
Relative Density	1.23 - 1.27	None known
рН	No information available	None known
Viscosity (cps)	No information available	None known
Solubility	No information available	None known
Water Solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor Pressure	No information available	None known
Vapor Density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	40 - 50	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	50 - 60	None known
VOC Regulatory Limit (g/L)	0	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available.	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

## Section 10: STABILITY AND REACTIVITY

10.1.

Not Applicable Reactivity

10.2.

5224X - AURA WATERBORNE INTERIOR PAINT MATTE

**FINISH BASE 4** 

Revision Date: 02-Apr-2015

Chemical Stability Stable under normal conditions

10.3.

Possibility Of Hazardous Reactions

None under normal conditions of use

<u>10.4.</u>

Conditions To Avoid Prevent from freezing

10.5.

Incompatible Materials No materials to be especially mentioned

10.6.

Hazardous Decomposition Products

None under normal use

## Section 11: TOXICOLOGICAL INFORMATION

11.1.

### **Product Information**

**Inhalation** There is no data available for this product

**Eye contact**There is no data available for this product.

**Skin contact** There is no data available for this product.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

### Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Calcium carbonate 471-34-1	= 6450 mg/kg (Rat)		
Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
Zinc Pyrithione 13463-41-7	= 269 mg/kg (Rat)		= 140 mg/m³ ( Rat ) 4 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)		

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

**Sensitization:** May cause sensitization by skin contact.

Mutagenic Effects No information available.

# 5224X - AURA WATERBORNE INTERIOR PAINT MATTE FINISH BASE 4

Revision Date: 02-Apr-2015

### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

 Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

No information available. **Reproductive Effects Developmental Effects** No information available. STOT - single exposure No information available. STOT - repeated exposure No information available. **Neurological Effects** No information available. **Target Organ Effects:** No information available. **Symptoms** No information available No information available **Aspiration Hazard** 

## Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio	EC50 = 7600 mg/L (48 h)
7631-86-9		(96 h)	

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

Chemical Name	log Pow =
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	

12.4.

5224X - AURA WATERBORNE INTERIOR PAINT MATTE FINISH BASE 4

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available.

## Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

**EWC waste disposal No**No information available.

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 02-Apr-2015

## Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

## Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Revision Date: 02-Apr-2015

Chemical Name	French RG number
Calcium carbonate	-
471-34-1	
Kaolin	-
1332-58-7	
Silica, amorphous	RG 25
7631-86-9	
Hexanedioic acid, dihydrazide	-
1071-93-8	
Zinc Pyrithione	-
13463-41-7	
1,2-Benzisothiazolin-3-one	RG 65
2634-33-5	
2-Methyl-4-isothiazolin-3-one	-
2682-20-4	

### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

### **International Inventories**

**AICS: Australia** No - Not all of the components are listed. No - Not all of the components are listed. **DSL: Canada** No - Not all of the components are listed. **EINECS: European Union** No - Not all of the components are listed. **ENCS**: Japan No - Not all of the components are listed. **IECS: China KECL: South Korea** No - Not all of the components are listed. **PICCS: Philippines** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

### Legend

**AICS** - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

## **Chemical Safety Report**

No information available

## **Section 16: OTHER INFORMATION**

### Text of R phrases mentioned in Sections 2 & 3

R41 - Risk of serious damage to eyes

R50 - Very toxic to aquatic organisms

R23 - Toxic by inhalation

R22 - Harmful if swallowed

R43 - May cause sensitization by skin contact

## Section 16: OTHER INFORMATION

R37/38 - Irritating to respiratory system and skin

R36/37/38 - Irritating to eyes, respiratory system and skin

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

### Full text of H-Statements referred to under section 3

H317 - May cause an allergic skin reaction

H302 - Harmful if swallowed

H318 - Causes serious eye damage

H400 - Very toxic to aquatic life

H314 - Causes severe skin burns and eye damage

H410 - Very toxic to aquatic life with long lasting effects

H331 - Toxic if inhaled

H301 - Toxic if swallowed

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 02-Apr-2015

855-724-6802

**Issuing Date** 02-Apr-2015

Revision Date: 02-Apr-2015

Revision Summary Change to Format

### Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**