

SAFETY DATA SHEET

Revision Date: 07-Apr-2015 Issuing Date 07-Apr-2015 **Revision Number: 1**

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name AURA WATERBORNE INTERIOR SATIN FINISH - BASE 3

Product Code 5263X

Product Class WATER THINNED PAINT

Color ΑII Recommended use Paint

No information available Restrictions on use

Manufacturer Only Representative (OR)

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. 101 Paragon Drive Bainbridge House Montvale, NJ 07645 86-90 London Road Phone: 855-724-6802 Manchester www.benjaminmoore.com

United Kingdom M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization Category 1 - (H317)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s)

Xi - Irritant

R-code(s)

R43

2.2.

Product Identifier



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

| Chemical Name | EINECS/ELINCS No. | CAS-No | Weight % (max) | EU Classification | EU - GHS Substance Classification | REACH No. |
|----------------------------|----------------------|------------|----------------|--|---|---------------|
| Calcium carbonate | 207-439-9 | 471-34-1 | 10 | Unclassified | | Not available |
| Titanium dioxide | 236-675-5 | 13463-67-7 | 10 | Unclassified | | Not available |
| Kaolin | 310-194-1 | 1332-58-7 | 5 | Unclassified | | Not available |
| 1,2-Benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | 0.1 | Xn; R22 Xi; R38-41 R43 N; R50 | Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | Not available |

| 2-Methyl-4-isothiazolin-3-one | 220-239-6 | 2682-20-4 | 0.01 | C;R34 | Acute Tox. 3 | Not available |
|-------------------------------|-----------|-----------|------|--------|-----------------|---------------|
| | | | | Xn;R22 | (H301) | |
| | | | | T;R23 | Acute Tox. 3 | |
| | | | | R43 | (H311) | |
| | | | | N; R50 | Skin Corr. 1B | |
| | | | | , | (H314) | |
| | | | | | Skin Sens. 1 | |
| | | | | | (H317) | |
| | | | | | Eye Dam. 1 | |
| | | | | | (H318) | |
| | | | | | STOT SÉ 3 | |
| | | | | | (H335) | |
| | | | | | Aquatic Acute 1 | |
| | | | | | (H400) | |

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye ContactRinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 07-Apr-2015

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 07-Apr-2015

Unsuitable Extinguishing Media No information available

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or extreme

heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

<u>5.3.</u>

Protective Equipment And Precautions For Firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate

ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment

Aborb with inert material and place in suitable container for

disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

6.4.

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

<u>7.3.</u>

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Revision Date: 07-Apr-2015

Risk Management Methods (RMM) Not Applicable

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

Exposure limits

| Chemical Name | EU | United Kingdom | Belgium | Bulgaria | Cyprus | Greece |
|------------------|----|----------------------------|---------------------------|-----------------------------|--------|---------------------------|
| Kaolin | | TWA: 2 mg/m ³ | TWA: 2 mg/m ³ | TWA: 3.0 mg/m ³ | | |
| 1332-58-7 | | STEL: 6 mg/m ³ | _ | TWA: 6.0 mg/m ³ | | |
| Titanium dioxide | | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10.0 mg/m ³ | | TWA: 10 mg/m ³ |
| 13463-67-7 | | TWA: 4 mg/m ³ | _ | | | TWA: 5 mg/m ³ |
| | | STEL: 30 mg/m ³ | | | | |
| | | STEL: 12 mg/m ³ | | | | |

| Chemical Name | Ireland | Latvia | Lithuania | Poland | Romania | Spain |
|-------------------|---------------------------|---------------------------|--------------------------|-----------------------------|----------------------------|------------------------------|
| Kaolin | TWA: 2 mg/m ³ | | | NDS: 10.0 mg/m ³ | TWA: 2 mg/m ³ | VLA-ED: 2 mg/m ³ |
| 1332-58-7 | | | | | | |
| Titanium dioxide | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ | TWA: 5 mg/m ³ | TWA: 10.0 mg/m ³ | TWA: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | TWA: 4 mg/m ³ | | | STEL: 30 mg/m ³ | STEL: 15 mg/m ³ | |
| Calcium carbonate | | TWA: 6 mg/m ³ | | NDS: 10 mg/m ³ | | VLA-ED: 10 mg/m ³ |
| 471-34-1 | | | | | | |

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing

Hand protection Impervious gloves

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash thoroughly

after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

Appearance liquid

Odor little or no odor

Odor Threshold No information available

| Property | Values | Remarks/ |
|---|---------------------------|------------|
| | | Method |
| Density (g/L) | 1138 - 1186 | None known |
| Relative Density | 1.13 - 1.19 | None known |
| рН | No information available | None known |
| Viscosity (cps) | No information available | None known |
| Solubility | No information available | None known |
| Water Solubility | No information available | None known |
| Evaporation Rate | No information available | None known |
| Vapor Pressure | No information available | None known |
| Vapor Density | No information available | None known |
| Wt. % Solids | 45 - 55 | None known |
| Vol. % Solids | 35 - 45 | None known |
| Wt. % Volatiles | 45 - 55 | None known |
| Vol. % Volatiles | 55 - 65 | None known |
| VOC Regulatory Limit (g/L) | 0 | None known |
| Boiling Point (°C) | 100 | None known |
| Freezing Point (°C) | 0 | None known |
| Melting Point (°C) | No information available | None known |
| Flash Point (°C) | Not applicable | None known |
| Flammability (solid, gas) | No information available | None known |
| Upper Explosion Limit | No information available | None known |
| Lower Explosion Limit | No information available | None known |
| Autoignition Temperature (°C) | No information available | None known |
| Decomposition Temperature (°C) | No information available | None known |
| Partition Coefficient (n-octanol/water) | No information available. | None known |
| Explosive properties | No information available | None known |
| Oxidizing Properties | No information available | None known |

Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>

Reactivity Not Applicable

10.2.

Chemical Stability Stable under normal conditions

10.3.

BASE 3

Revision Date: 07-Apr-2015

Possibility Of Hazardous Reactions None under normal conditions of use

10.4.

Conditions To Avoid Prevent from freezing

<u>10.5.</u>

Incompatible Materials No materials to be especially mentioned

10.6.

Hazardous Decomposition Products

None under normal use

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product

Eye contactThere is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Acute Toxicity

Component

| Chemical Name | LD50 Oral: | LD50 Dermal: | LC50 Inhalation: |
|---|---------------------|--------------|------------------|
| Calcium carbonate 471-34-1 | = 6450 mg/kg (Rat) | | |
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | | |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | = 1020 mg/kg (Rat) | | |

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen

| Chemical Name | EU Annex I Carcinogen Information | IARC |
|------------------|-----------------------------------|--------------------------------|
| Titanium dioxide | | 2B - Possible Human Carcinogen |
| 13463-67-7 | | |

 Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

No information available. **Reproductive Effects Developmental Effects** No information available. No information available. STOT - single exposure STOT - repeated exposure No information available. No information available. **Neurological Effects Target Organ Effects:** No information available. No information available **Symptoms Aspiration Hazard** No information available

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated.

12.2.

Persistence / Degradability No information available.

12.3.

Bioaccumulation / Accumulation No information available.

| Chemical Name | log Pow = |
|----------------------------|-----------|
| 1,2-Benzisothiazolin-3-one | 1.3 |
| 2634-33-5 | |

12.4.

Mobility in soilNo information available.Mobility in Environmental MediaNo information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal NoNo information available.

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 07-Apr-2015

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

| Chemical Name | French RG number |
|-------------------------------|------------------|
| Calcium carbonate | - |
| 471-34-1 | |
| Titanium dioxide | - |
| 13463-67-7 | |
| Kaolin | - |
| 1332-58-7 | |
| 1,2-Benzisothiazolin-3-one | RG 65 |
| 2634-33-5 | |
| 2-Methyl-4-isothiazolin-3-one | - |
| 2682-20-4 | |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia No - Not all of the components are listed. No - Not all of the components are listed. DSL: Canada

One or more component is listed on NDSL. **EINECS: European Union** No - Not all of the components are listed.

ENCS: Japan No - Not all of the components are listed. **IECS: China** No - Not all of the components are listed. **KECL: South Korea** No - Not all of the components are listed. **PICCS: Philippines** No - Not all of the components are listed.

TSCA: United States Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Text of R phrases mentioned in Sections 2 & 3

R50 - Very toxic to aquatic organisms

R43 - May cause sensitization by skin contact

R41 - Risk of serious damage to eyes

R38 - Irritating to skin

R22 - Harmful if swallowed

R53 - May cause long-term adverse effects in the aquatic environment

R34 - Causes burns

R23 - Toxic by inhalation

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

H400 - Very toxic to aquatic life

H302 - Harmful if swallowed

H315 - Causes skin irritation

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 07-Apr-2015

855-724-6802

Issuing Date 07-Apr-2015

Revision Date: 07-Apr-2015

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet