

SAFETY DATA SHEET

Issuing Date 06-Apr-2015 Revision Date: 06-Apr-2015 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name WATERBORNE CEILING PAINT BASE 2

Product Code 5082X

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.

101 Paragon Drive Bainbridge House
Montvale, NJ 07645 86-90 London Road
Phone: 855-724-6802 Manchester
www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization Category 1 - (H317)

Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s)

Xi - Irritant

R-code(s)

R43

2.2.

Product Identifier

Revision Date: 06-Apr-2015



Signal word Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Limestone	215-279-6	1317-65-3	30	Unclassified		Not available
Titanium dioxide	236-675-5	13463-67-7	10	Unclassified		Not available
Diatomaceous earth	-	61790-53-2	5	Unclassified		Not available
Silica, amorphous	231-545-4	7631-86-9	5	Unclassified		Not available
5-Chloro-2-methyl-4-isothiazolin-3- one	247-500-7	26172-55-4	0.005	T; R23/24/25 C; R34 R43 N; R50-53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.005	C;R34 Xn;R22 T;R23 R43 N; R50	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335)	Not available
					(H335) Aquatic Acute 1 (H400)	

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15 minutes

and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 06-Apr-2015

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of water.

Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

5.1.

5082X - WATERBORNE CEILING PAINT BASE 2

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 06-Apr-2015

Unsuitable Extinguishing Media No information available

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or extreme

heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

<u>5.3.</u>

Protective Equipment And Precautions For Firefighters Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure adequate

ventilation.

Other Information Observe all relevant local and international regulations.

<u>6.2.</u>

Environmental Precautions Prevent further leakage or spillage if safe to do so.

<u>6.3.</u>

Methods For Containment

Aborb with inert material and place in suitable container for

disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

6.4.

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Revision Date: 06-Apr-2015

Risk Management Methods (RMM) Not Applicable

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Limestone		TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 1.0 f/cm3		TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³		TWA: 10.0 mg/m ³		TWA: 5 mg/m ³
		STEL: 12 mg/m ³				
		STEL: 30 mg/m ³				
Titanium dioxide		TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³				TWA: 5 mg/m ³
		STEL: 30 mg/m ³				
		STEL: 12 mg/m ³				
Diatomaceous earth		TWA: 1.2 mg/m ³	TWA: 3 mg/m ³	TWA: 1.0 mg/m ³		
61790-53-2		STEL: 3.6 mg/m ³	TWA: 10 mg/m ³			
Silica, amorphous		TWA: 2.4 mg/m ³				
7631-86-9		TWA: 6 mg/m ³				
		STEL: 18 mg/m ³				
		STEL: 7.2 mg/m ³				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Limestone	TWA: 10 mg/m ³					
1317-65-3	TWA: 4 mg/m ³					
Titanium dioxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7	TWA: 4 mg/m ³			STEL: 30 mg/m ³	STEL: 15 mg/m ³	
Diatomaceous earth				NDS: 10 mg/m ³		VLA-ED: 10 mg/m ³
61790-53-2				NDS: 2.0 mg/m ³		VLA-ED: 3 mg/m ³
Silica, amorphous	TWA: 6 mg/m ³	TWA: 1 mg/m ³				
7631-86-9	TWA: 2.4 mg/m ³					

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing

Hand protection Impervious gloves

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash thoroughly

after handling.

Revision Date: 06-Apr-2015

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Property	Values	Remarks/
		Method
Density (g/L)	1402 - 1438	None known
Relative Density	1.40 - 1.44	None known
рН	No information available	None known
Viscosity (cps)	No information available	None known
Solubility	No information available	None known
Water Solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor Pressure	No information available	None known
Vapor Density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	35 - 45	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	55 - 65	None known
VOC Regulatory Limit (g/L)	0	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available.	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>

Reactivity Not Applicable

10.2.

Chemical Stability Stable under normal conditions

10.3.

5082X - WATERBORNE CEILING PAINT BASE 2

Revision Date: 06-Apr-2015

Possibility Of Hazardous Reactions None under normal conditions of use

10.4.

Conditions To Avoid Prevent from freezing

<u>10.5.</u>

Incompatible Materials No materials to be especially mentioned

10.6.

Hazardous Decomposition Products

None under normal use

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product

Eye contactThere is no data available for this product.

Skin contact There is no data available for this product.

Ingestion There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat)1 h
5-Chloro-2-methyl-4-isothiazolin-3- one 26172-55-4	= 481 mg/kg(Rat)		= 1.23 mg/L (Rat) 4 h

Skin corrosion/irritationNo information available.Eye damage/irritationNo information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

Revision Date: 06-Apr-2015

 Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects No information available. No information available. **Developmental Effects** STOT - single exposure No information available. STOT - repeated exposure No information available. **Neurological Effects** No information available. **Target Organ Effects:** No information available. No information available **Symptoms** No information available **Aspiration Hazard**

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio	EC50 = 7600 mg/L (48 h)
7631-86-9		(96 h)	
5-Chloro-2-methyl-4-isothiazolin-3-	EC50 0.11 - 0.16 mg/L (72 h)	LC50 = 1.6 mg/L Oncorhynchus	EC50 0.12 - 0.3 mg/L (48 h)
one		mykiss (96 h)	EC50 0.71 - 0.99 mg/L (48 h)
26172-55-4		. , , ,	EC50 = 4.71 mg/L (48 h)

12.2.

Persistence / Degradability No information available.

12.3.

Bioaccumulation / Accumulation No information available.

Chemical Name	log Pow =
5-Chloro-2-methyl-4-isothiazolin-3-one	0.75
26172-55-4	

12.4.

Mobility in soilNo information available.Mobility in Environmental MediaNo information available.

12.5.

5082X - WATERBORNE CEILING PAINT BASE 2

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated PackagingEmpty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal NoNo information available.

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 06-Apr-2015

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Revision Date: 06-Apr-2015

Chemical Name	French RG number
Limestone 1317-65-3	-
Titanium dioxide 13463-67-7	-
Diatomaceous earth 61790-53-2	RG 25
Silica, amorphous 7631-86-9	RG 25
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	-
2-Methyl-4-isothiazolin-3-one 2682-20-4	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia

DSL: Canada

No - Not all of the components are listed.

Yes - All components are listed or exempt.

One or more component is listed on NDSL.

EINECS: European Union

No - Not all of the components are listed.

ENCS: Japan

No - Not all of the components are listed.

IECS : ChinaNo - Not all of the components are listed.KECL: South KoreaNo - Not all of the components are listed.PICCS: PhilippinesNo - Not all of the components are listed.TSCA: United StatesYes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Text of R phrases mentioned in Sections 2 & 3

R34 - Causes burns

R53 - May cause long-term adverse effects in the aquatic environment

R50 - Very toxic to aquatic organisms

R43 - May cause sensitization by skin contact

R23 - Toxic by inhalation

R22 - Harmful if swallowed

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

H318 - Causes serious eye damage H335 - May cause respiratory irritation

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 06-Apr-2015

855-724-6802

Issuing Date 06-Apr-2015

Revision Date: 06-Apr-2015

Revision Summary Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet