

# SAFETY DATA SHEET

Issuing Date 06-Apr-2015

Revision Date: 06-Apr-2015

**Revision Number:** 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

| Product Name        |
|---------------------|
| Product Code        |
| Product Class       |
| Color               |
| Recommended use     |
| Restrictions on use |

# WATERBORNE CEILING PAINT BASE 4

**5084X** WATER THINNED PAINT All Paint No information available

#### Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 855-724-6802 www.benjaminmoore.com

#### **Only Representative (OR)**

ITS Testing Services (UK) Ltd. Bainbridge House 86-90 London Road Manchester United Kingdom M1 2PW e-mail: ies01.reach@intertek.com

#### Emergency Telephone Number(s) CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008 Skin sensitization

Category 1 - (H317)

**Classification according to EU Directives 67/548/EEC or 1999/45/EC** For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s) Xi - Irritant

R43

2.2.

Product Identifier



Warning

Hazard statements

H317 - May cause an allergic skin reaction

# Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection
P302 + P352 - IF ON SKIN: Wash with plenty of soap and water
P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

```
General Hazards
```

No information available.

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

#### 3.1. Substances

Not applicable

#### 3.2 Mixtures

| Chemical Name                 | EINECS/ELINCS<br>No. | CAS-No     | Weight % (max) | EU<br>Classification                      | EU - GHS<br>Substance<br>Classification   | REACH No.     |
|-------------------------------|----------------------|------------|----------------|---|---|---------------|
| Limestone                     | 215-279-6            | 1317-65-3  | 30             | Unclassified                              |   | Not available |
| Diatomaceous earth            | -                    | 61790-53-2 | 5              | Unclassified                              |   | Not available |
| 2-Methyl-4-isothiazolin-3-one | 220-239-6            | 2682-20-4  | 0.005          | C;R34<br>Xn;R22<br>T;R23<br>R43<br>N; R50 | Acute Tox. 3<br>(H301)<br>Acute Tox. 3<br>(H311)<br>Skin Corr. 1B<br>(H314)<br>Skin Sens. 1<br>(H317)<br>Eye Dam. 1<br>(H318)<br>STOT SE 3<br>(H335)<br>Aquatic Acute 1<br>(H400) | Not available |

| 5-Chloro-2-methyl-4-isothiazolin-3-<br>one | 247-500-7 | 26172-55-4 | 0.005 | T; R23/24/25<br>C; R34<br>R43<br>N; R50-53 | Acute Tox. 3<br>(H301)<br>Acute Tox. 3<br>(H311)<br>Skin Corr. 1B<br>(H314) | Not available |
|--|-----------|------------|-------|--|---|---------------|
|  |           |            |       |  | Acute Tox. 3<br>(H331)<br>Skin Sens. 1<br>(H317)                            |               |
|  |           |            |       |  | Aquatic Acute 1<br>(H400)<br>Aquatic Chronic 1                              |               |
|  |           |            |       |  | (H410)  |               |

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

Description of first aid measures

<u>4.1.</u>

| General Advice  | No hazards which require special first aid measures.  |
|---|---|
| Eye Contact   | Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.            |
| Skin Contact  | Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.   |
| Inhalation  | Move to fresh air. If symptoms persist, call a physician.   |
| Ingestion   | Clean mouth with water and afterwards drink plenty of water.<br>Consult a physician if necessary. |
| <u>4.2.</u>   |   |
| Most important symptoms and effects, both acute and d | lelayed   |

| Most Important Symptoms/Effects | May cause allergic skin reaction. |
|---------------------------------|-----------------------------------|
|                                 | , .                               |

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

| Suitable Extinguishing Media               | Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|--|---|
| Unsuitable Extinguishing Media             | No information available  |
| <u>5.2.</u>                                |   |
| Specific Hazards Arising From The Chemical | Closed containers may rupture if exposed to fire or extreme heat.                                       |
| Sensitivity To Static Discharge            | No  |
| Sensitivity To Mechanical Impact           | No  |
| <u>5.3.</u>                                |   |

Protective Equipment And Precautions For Firefighters Wear self-contained breathing apparatus and protective suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

| <u>6.1.</u>               |  |
|---------------------------|--|
| Personal Precautions      | Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. |
| Other Information         | Observe all relevant local and international regulations.                |
| <u>6.2.</u>               |  |
| Environmental Precautions | Prevent further leakage or spillage if safe to do so.                    |
| <u>6.3.</u>               |  |
| Methods For Containment   | Aborb with inert material and place in suitable container for disposal.  |
| Methods For Clean-Up      | Clean contaminated surface thoroughly.                                   |
| <u>6.4.</u>               |  |
| Other information         | See Section 12 for additional information.                               |
|                           |  |

# Section 7: HANDLING AND STORAGE

# <u>7.1.</u>

| Handling         | Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment. |
|------------------|--|
| Hygiene Measures | Wash thoroughly after handling.  |
| <u>7.2.</u>      |  |
| Storage          | Keep container tightly closed. Keep out of the reach of children.  |

# 7.3.

**Specific Uses** 

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

**Risk Management Methods (RMM)** 

Not Applicable

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

# <u>8.1.</u>

# Exposure limits

| Chemical Name      | EU | United Kingdom              | Belgium                   | Bulgaria                    | Cyprus | Greece                    |
|--------------------|----|-----------------------------|---------------------------|-----------------------------|--------|---------------------------|
| Limestone          |    | TWA: 10 mg/m <sup>3</sup>   | TWA: 10 mg/m <sup>3</sup> | TWA: 1.0 f/cm3              |        | TWA: 10 mg/m <sup>3</sup> |
| 1317-65-3          |    | TWA: 4 mg/m <sup>3</sup>    | -                         | TWA: 10.0 mg/m <sup>3</sup> |        | TWA: 5 mg/m <sup>3</sup>  |
|                    |    | STEL: 12 mg/m <sup>3</sup>  |                           | •                           |        | -                         |
|                    |    | STEL: 30 mg/m <sup>3</sup>  |                           |                             |        |                           |
| Diatomaceous earth |    | TWA: 1.2 mg/m <sup>3</sup>  | TWA: 3 mg/m <sup>3</sup>  | TWA: 1.0 mg/m <sup>3</sup>  |        |                           |
| 61790-53-2         |    | STEL: 3.6 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> | _                           |        |                           |

| Chemical Name      | Ireland                   | Latvia | Lithuania | Poland                     | Romania | Spain                        |
|--------------------|---------------------------|--------|-----------|----------------------------|---------|------------------------------|
| Limestone          | TWA: 10 mg/m <sup>3</sup> |        |           |                            |         |                              |
| 1317-65-3          | TWA: 4 mg/m <sup>3</sup>  |        |           |                            |         |                              |
| Diatomaceous earth |                           |        |           | NDS: 10 mg/m <sup>3</sup>  |         | VLA-ED: 10 mg/m <sup>3</sup> |
| 61790-53-2         |                           |        |           | NDS: 2.0 mg/m <sup>3</sup> |         | VLA-ED: 3 mg/m <sup>3</sup>  |

# 8.2.

Occupational exposure controls

**Engineering Measures** 

**Personal Protective Equipment** 

**Respiratory Protection** 

**Eye Protection** 

**Skin Protection** 

Hand protection

Hygiene Measures

Ensure adequate ventilation, especially in confined areas

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing

Impervious gloves

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

<u>9.1.</u>

| Appe | arance    |
|------|-----------|
| Odor |           |
| Odor | Threshold |

liquid little or no odor No information available

### Property

10 1

Density (g/L) **Relative Density** pН Viscosity (cps) Solubility Water Solubility **Evaporation Rate** Vapor Pressure Vapor Density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles VOC Regulatory Limit (g/L) **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition Coefficient (n-octanol/water) **Explosive properties Oxidizing Properties** 

# Values

| 1366 - 1402               |
|---------------------------|
| 1.36 - 1.41               |
| No information available  |
| 50 - 60                   |
| 35 - 45                   |
| 40 - 50                   |
| 55 - 65                   |
| 0                         |
| 100                       |
| 0                         |
| No information available  |
| Not applicable            |
| No information available  |
| No information available. |
| No information available  |
|                           |
| No information available  |

#### Remarks/ Method

None known None known

# Section 10: STABILITY AND REACTIVITY

| 10.1.                              |   |
|------------------------------------|---|
| Reactivity                         | Not Applicable                          |
| 10.2.                              |   |
| Chemical Stability                 | Stable under normal conditions          |
| 10.3.                              |   |
| Possibility Of Hazardous Reactions | None under normal conditions of use     |
| <u>10.4.</u>                       |   |
| Conditions To Avoid                | Prevent from freezing                   |
| 10.5.                              |   |
| Incompatible Materials             | No materials to be especially mentioned |
|                                    |   |

# 10.6.

# **Hazardous Decomposition Products**

None under normal use

# Section 11: TOXICOLOGICAL INFORMATION

# <u>11.1.</u>

| Product Information |  |
|---------------------|--|
| Inhalation          | There is no data available for this product  |
| Eye contact         | There is no data available for this product. |
| Skin contact        | There is no data available for this product. |
| Ingestion           | There is no data available for this product. |
|                     |  |

# Acute Toxicity

# Component

| Chemical Name                       | LD50 Oral:        | LD50 Dermal: | LC50 Inhalation:     |
|-------------------------------------|-------------------|--------------|----------------------|
| 5-Chloro-2-methyl-4-isothiazolin-3- | = 481 mg/kg (Rat) |              | = 1.23 mg/L (Rat)4 h |
| one                                 |                   |              |                      |
| 26172-55-4                          |                   |              |                      |

| Oldin composion/invitation | No information quallable                 |
|----------------------------|--|
| Skin corrosion/irritation  | No information available.                |
| Eye damage/irritation      | No information available.                |
| Sensitization:             | May cause sensitization by skin contact. |
| Mutagenic Effects          | No information available.                |

# **Carcinogenic effects**

The table below indicates whether each agency has listed any ingredient as a carcinogen

IARC - International Agency for Research on Cancer

| Reproductive Effects     | No information available. |
|--------------------------|---------------------------|
| Developmental Effects    | No information available. |
| STOT - single exposure   | No information available. |
| STOT - repeated exposure | No information available. |
| Neurological Effects     | No information available. |
| Target Organ Effects:    | No information available. |
| Symptoms                 | No information available  |
| Aspiration Hazard        | No information available  |

# Section 12: ECOLOGICAL INFORMATION

# 12.1. Toxicity

The environmental impact of this product has not been fully investigated.

| Chemical Name                       | Freshwater Algae Data        | Freshwater Fish Species Data | Water Flea Data              |
|-------------------------------------|------------------------------|------------------------------|------------------------------|
| 5-Chloro-2-methyl-4-isothiazolin-3- | EC50 0.11 - 0.16 mg/L (72 h) | LC50 = 1.6 mg/L Oncorhynchus | EC50 0.12 - 0.3 mg/L (48 h)  |
| one                                 |                              | mykiss (96 h)                | EC50 0.71 - 0.99 mg/L (48 h) |
| 26172-55-4                          |                              |                              | EC50 = 4.71 mg/L (48 h)      |

# <u>12.2.</u>

# Persistence / Degradability

No information available.

12.3.

### **Bioaccumulation / Accumulation**

No information available.

| Chemical Name                          | log Pow = |
|--|-----------|
| 5-Chloro-2-methyl-4-isothiazolin-3-one | 0.75      |
| 26172-55-4                             |           |

# 12.4.

| Mobility in soil                | No information available. |
|---------------------------------|---------------------------|
| Mobility in Environmental Media | No information available. |
| <u>12.5.</u>                    |                           |
| PBT and vPvB assessment         | No information available. |
| 12.6                            |                           |
| <u>12.6.</u>                    |                           |
|                                 |                           |

Other adverse effects

No information available.

# Section 13: DISPOSAL CONSIDERATIONS

# <u>13.1.</u>

| Waste from Residues/Unused Products | Dispose of in accordance with the European Directives on waste and hazardous waste. |
|-------------------------------------|---|
| Contaminated Packaging              | Empty containers should be taken for local recycling, recovery or waste disposal.   |
| EWC waste disposal No               | No information available.   |

# Other Information

Waste codes should be assigned by the user based on the application for which the product was used.

# Section 14: TRANSPORT INFORMATION

| IMDG / IMO | Not regulated |
|------------|---------------|
| RID        | Not regulated |
| ADR        | Not regulated |
| ADN        | Not regulated |
| ΙΑΤΑ       | Not regulated |

# Section 15: REGULATORY INFORMATION

#### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Occupational Illnesses (R-463-3, France)

| Chemical Name                          | French RG number |
|--|------------------|
| Limestone                              | -                |
| 1317-65-3                              |                  |
| Diatomaceous earth                     | RG 25            |
| 61790-53-2                             |                  |
| 2-Methyl-4-isothiazolin-3-one          | -                |
| 2682-20-4                              |                  |
| 5-Chloro-2-methyl-4-isothiazolin-3-one | -                |
| 26172-55-4                             |                  |

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### International Inventories

**AICS:** Australia No - Not all of the components are listed. **DSL: Canada** Yes - All components are listed or exempt. One or more component is listed on NDSL. **EINECS: European Union** No - Not all of the components are listed. No - Not all of the components are listed. **ENCS** : Japan **IECS : China** No - Not all of the components are listed. No - Not all of the components are listed. **KECL: South Korea PICCS: Philippines** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

#### Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

# Section 16: OTHER INFORMATION

#### Text of R phrases mentioned in Sections 2 & 3

R34 - Causes burns

R50 - Very toxic to aquatic organisms

R43 - May cause sensitization by skin contact

R23 - Toxic by inhalation

R22 - Harmful if swallowed

R53 - May cause long-term adverse effects in the aquatic environment

R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

R52/53 - Harmful to aquatic organisms, may cause long-term adverse effects in the aquatic environment

#### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H311 - Toxic in contact with skin

- H314 Causes severe skin burns and eye damage
- H331 Toxic if inhaled
- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects
- H318 Causes serious eye damage
- H335 May cause respiratory irritation

| Classification procedure:                      | Expert judgment and weight of evidence determination  |
|--|---|
| Key literature references and sources for data | Data from internal and external sources   |
| Prepared By                                    | Product Stewardship Department<br>Benjamin Moore & Co.<br>101 Paragon Drive<br>Montvale, NJ 07645<br>855-724-6802 |
| Issuing Date                                   | 06-Apr-2015   |
| Revision Date:                                 | 06-Apr-2015   |
| Revision Summary                               | Change to Format  |

## Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet