

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 11/10/2022

Revision Date: 11/10/2022

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product Class Colour Unique Formula Identifier (UFI) Recommended use Restrictions on use

Manufacturer

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Phone: 1-866-708-9180 www.benjaminmoore.com

ELEMENT GUARD EXTERIOR FLAT - BASE 2

7632X U7632XEU Water thinned paint All 2C23-N0HJ-5000-Y03V Paint No information available

Only Representative (OR)

Intertek Deutschland GmBH Stangenstrasse 1 70771 Leinfeldan-Echterdingen Germany Ph: +49-(0)-71127311152 e-mail: ies01.reach@intertek.com

Emergency Telephone

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitisation	Category 1A - (H317)
Chronic aquatic toxicity	Category 3 - (H412)

2.2. Label elements

Product Identifier

Contains Carbamic acid, butyl-, 3-iodo-2-propynyl ester, 2-Methyl-4-isothiazolin-3-one



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) May produce an allergic reaction EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P101 - If medical advice is needed, have product container or label at hand

- P102 Keep out of reach of children
- P261 Avoid breathing dust/fume/gas/mist/vapours/spray
- P280 Wear protective gloves

P302 + P352 - IF ON SKIN: Wash with plenty of water and soap

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

Other hazards Harmful to aquatic life

General Hazards

SECTION 3: Composition/information on ingredients

No information available

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EINECS/ELINCS No.	CAS No.	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	REACH registration number
Titanium dioxide	236-675-5 257-372-4	13463-67-7	>=5 - <10	Not available	01-2119489379-17-01 68
Diatomaceous earth	-	61790-53-2	>=1 - <5	Not available	Not available
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	259-627-5	55406-53-6	>=0.1 - <0.3	Acute Tox. 4 (H302) Acute Tox. 3 (H331) Eye Dam. 1 (H318) Skin Sens. 1 (H317) STOT RE 1 (H372) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	>=0.01 - < 0.05	Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	>=0.001 - <0.005	Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301)	Not available

				Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1 (H410)	
5-Chloro-2-methyl-3(2H)-isothi azolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)	247-500-7 220-239-6	55965-84-9	>=0.001 - <0.005	Acute Tox. 3 (H301) Acute Tox. 2 (H310) Acute Tox. 2 (H310) Skin Corr. 1C (H314) Eye Dam 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
5-Chloro-2-methyl-4-isothiazol in-3-one	247-500-7	26172-55-4	>=0.0005 - <0.001	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Eye Dam. 1 (H318) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

Description of first aid measuresGeneral AdviceNo hazards which require special first aid measures.Fye ContactRinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Skin ContactWash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a doctor. Wash clothing before re-use. Destroy contaminated articles such as shoes.InhalationMove to fresh air. If symptoms persist, call a physician.IngestionClean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.A.1. Most Important Symptoms/EffectsMay cause allergic skin reaction.Most To PhysicianMay cause allergic skin reaction.Notes To PhysicianTreat symptomatically.	4.1. Description of first aid measures	
Eye ContactRinse thoroughly with plenty of water for at least 15 minutes and consult a physician.Skin ContactWash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a doctor. Wash clothing before re-use. Destroy contaminated articles such as shoes.InhalationMove to fresh air. If symptoms persist, call a physician.IngestionClean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.4.2. Most important symptoms and effects, both acute and delayedMay cause allergic skin reaction.Most Important Symptoms/EffectsMay cause allergic skin reaction.4.3. Indication of any immediate medical attention and special treatment neededMay cause allergic skin reaction.	Description of first aid measures	
Skin ContactWash off immediately with soap and plenty of water while removing all contaminated clothes and shoes. If skin irritation persists, call a doctor. Wash clothing before re-use. Destroy contaminated articles such as shoes.InhalationMove to fresh air. If symptoms persist, call a physician.IngestionClean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.4.2. Most important symptoms and effects, both acute and delayedMay cause allergic skin reaction.Most Important Symptoms/EffectsMay cause allergic skin reaction.4.3. Indication of any immediate medical attention and special treatment neededMay cause allergic skin reaction.	General Advice	No hazards which require special first aid measures.
removing all contaminated clothes and shoes. If skin irritation persists, call a doctor. Wash clothing before re-use. Destroy contaminated articles such as shoes.InhalationMove to fresh air. If symptoms persist, call a physician.IngestionClean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.4.2. Most important symptoms and effects, both acute and delayedMay cause allergic skin reaction.Most Important Symptoms/EffectsMay cause allergic skin reaction.4.3. Indication of any immediate medical attention and special treatment needed	Eye Contact	
Ingestion Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary. 4.2. Most important symptoms and effects, both acute and delayed May cause allergic skin reaction. Most Important Symptoms/Effects May cause allergic skin reaction. 4.3. Indication of any immediate medical attention and special treatment Note the second sec	Skin Contact	removing all contaminated clothes and shoes. If skin irritation persists, call a doctor. Wash clothing before
water. Consult a physician if necessary. 4.2. Most important symptoms and effects, both acute and delayed Most Important Symptoms/Effects May cause allergic skin reaction. 4.3. Indication of any immediate medical attention and special treatment needed	Inhalation	Move to fresh air. If symptoms persist, call a physician.
Most Important Symptoms/Effects May cause allergic skin reaction. 4.3. Indication of any immediate medical attention and special treatment needed	Ingestion	
4.3. Indication of any immediate medical attention and special treatment needed	4.2. Most important symptoms and effects, both acute	and delayed
needed	Most Important Symptoms/Effects	May cause allergic skin reaction.
Notes To Physician Treat symptomatically.		special treatment
	Notes To Physician	Treat symptomatically.

Section 5: FIREFIGHTING MEASURES

5.1. Extinguishing media	
Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
5.2. Special hazards arising from the substance or mix	<u>sture</u>
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity to static discharge	No
Sensitivity to mechanical impact	No
5.3. Advice for firefighters	
Protective equipment and precautions for firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures **Personal Precautions** Avoid contact with skin, eyes and clothing. Ensure adequate ventilation. **Other Information** Observe all relevant local and international regulations. 6.2. Environmental precautions **Environmental precautions** Prevent spreading of vapours through sewers, ventilation systems and confined areas. 6.3. Methods and material for containment and cleaning up **Methods for Containment** Absorb with inert material and place in suitable container for disposal. Methods for Cleaning Up Clean contaminated surface thoroughly. 6.4. Reference to other sections See Section 12 for additional information. Other information Section 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Hygiene Measures

Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage

Keep container tightly closed. Keep out of the reach of children.

7.3. Specific end use(s)

Specific Uses

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Chemical name	European Unio	n Belgium		Bulga	aria	Cy	/prus		France	Ireland
Titanium dioxide	-	TWA: 10 mg	g∕m³	TWA: 10.0			-	TW	A: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7				TWA: 1.0	mg/m³					TWA: 4 mg/m ³
										STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Diatomaceous earth	-	TWA: 3 mg		TWA: 1.0	mg/m³		-		-	-
61790-53-2		TWA: 10 mg	g/m³							
Chemical name	Germany TRGS	Greece		Hung	ary	Ice	eland	lta	Iy MDLPS	Latvia
Titanium dioxide	-	TWA: 10 mg		-		6 mg/	/m³ TWA		-	TWA: 10 mg/m ³
13463-67-7		TWA: 5 mg	/m³							
Diatomaceous earth	TWA: 4 mg/m ³	-		-			-		-	-
61790-53-2							-			-
Chemical name	Lithuania	Netherlands	F	Poland	Rom	nania	Spain		Sweden	United Kingdom
Titanium dioxide	TWA: 5 mg/m ³	-	STEL	.: 30 mg/m ³	TWA: 1	0 mg/m ³	TWA: 10 m	ng/m³	TLV: 5 mg/m	³ TWA: 10 mg/m ³
13463-67-7	_		TWA	: 10 mg/m ³	STEL: 1	5 mg/m ³		-		TWA: 4 mg/m ³
										STEL: 30 mg/m ³
										STEL: 12 mg/m ³
Diatomaceous earth	-	-	TWA	: 10 mg/m ³	· ·	-	-		-	TWA: 1.2 mg/m ³
61790-53-2			TWA	A: 2 mg/m ³						STEL: 3.6 mg/m ³

8.2. Exposure controls

Occupational exposure controls

Engineering Measures

Personal Protective Equipment

Respiratory Protection

Eye Protection

Skin Protection

Ensure adequate ventilation, especially in confined areas.

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Hand protection

Hygiene Measures

2

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Appearance Odour **Odour Threshold**

Property Density (g/L) **Relative Density** bН Viscosity (cps) Solubility(ies) Water solubility **Evaporation Rate** Vapour pressure @20 °C (kPa) **Relative vapour density** Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles **Boiling Point (°C)** Freezing Point (°C) Melting Point (°C) **Pour Point** Flash Point (°C) Flammability (solid, gas) Upper flammability limit: Lower flammability limit Autoignition Temperature (°C) **Decomposition Temperature (°C) Partition coefficient Explosive properties Oxidising Properties**

liquid little or no odor No information available

Values_	Remarks Method
1270 - 1318	None known
1.29 - 1.34	
No information available	None known
45 - 55	None known
30 - 40	None known
45 - 55	None known
60 - 70	None known
100	None known
0	None known
No information available	None known
No information available	None known
Not applicable	None known
No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity Reactivity

10.2. Chemical stability

Chemical Stability

10.3. Possibility of hazardous reactions

Not Applicable.

Stable under normal conditions.

Possibility of hazardous reactions	None under normal conditions of use.
10.4. Conditions to avoid	
Conditions to avoid	Prevent from freezing.
10.5. Incompatible materials	
Incompatible Materials	No materials to be especially mentioned.
10.6. Hazardous decomposition products	
Hazardous Decomposition Products	None under normal conditions of use.

Section 11: TOXICOLOGICAL INFORMATION

11.1. Information on toxicological effects

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.

Acute Toxicity

Product Information

Component Information

Caution - This mixture contains a substance not yet fully tested

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6	= 1470 mg/kg (Rat)	> 2000 mg/kg (Rat)	= 0.67 mg/L (Rat) 4 h = 0.63 mg/L (Rat) 4 h = 0.99 mg/L (Rat) 4 h
1,2-Benzisothiazolin-3-one 2634-33-5	= 1020 mg/kg (Rat)	> 2000 mg/kg (Rat)	
2-Methyl-4-isothiazolin-3-one 2682-20-4		= 200 mg/kg (Rabbit)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	= 53 mg/kg (Rat) = 481 mg/kg (Rat) 232 - 249 mg/kg (Rat) = 120 mg/kg (Rat)	= 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h = 0.11 mg/L (Rat)4 h
5-Chloro-2-methyl-4-isothiazolin-3-o ne 26172-55-4	= 481 mg/kg (Rat) = 53 mg/kg (Rat)	= 87.12 mg/kg (Rabbit)	= 1.23 mg/L (Rat)4 h

Skin corrosion/irritation

No information available.

Eye damage/irritation	No information available.
Sensitisation	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical name	European Union	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target organ effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical name	Algae/aquatic plants	Fish	Crustacea
Diatomaceous earth 61790-53-2		LC50 >10000 mg/L Cyprinus carpio (72h)	
Carbamic acid, butyl-, 3-iodo-2-propynyl ester 55406-53-6		LC50: 0.049 - 0.079mg/L (96h, Oncorhynchus mykiss) LC50: 0.05 - 0.089mg/L (96h, Oncorhynchus mykiss) LC50: 0.14 - 0.32mg/L (96h, Lepomis macrochirus) LC50: 0.18 - 0.23mg/L (96h, Pimephales promelas)	
5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna)

			EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)
5-Chloro-2-methyl-4-isothiazolin-3-o ne 26172-55-4	EC50: 0.11 - 0.16mg/L (72h, Pseudokirchneriella subcapitata) EC50: 0.03 - 0.13mg/L (96h, Pseudokirchneriella subcapitata)	LC50: =1.6mg/L (96h, Oncorhynchus mykiss)	EC50: =4.71mg/L (48h, Daphnia magna) EC50: 0.12 - 0.3mg/L (48h, Daphnia magna) EC50: 0.71 - 0.99mg/L (48h, Daphnia magna)

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation

No information available.

Chemical name	Partition coefficient
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with	-0.71 - 0.75
2-methyl-3(2H)-isothiazolone (3:1)	
55965-84-9	
5-Chloro-2-methyl-4-isothiazolin-3-one	-0.71 - 0.75
26172-55-4	

12.4. Mobility in soil

Mobility in soil

No information available.

Mobility in Environmental Media

No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

No information available.

Chemical name	PBT and vPvB assessment
Titanium dioxide 13463-67-7	The substance is not PBT / vPvB PBT assessment
	does not apply
Carbamic acid, butyl-, 3-iodo-2-propynyl ester	The substance is not PBT / vPvB PBT assessment
55406-53-6	does not apply
1,2-Benzisothiazolin-3-one	The substance is not PBT / vPvB
2634-33-5	
2-Methyl-4-isothiazolin-3-one 2682-20-4	The substance is not PBT / vPvB
5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone	The substance is not PBT / vPvB
55965-84-9	

12.6. Other adverse effects

Other adverse effects

No information available

Section 13: DISPOSAL CONSIDERATIONS

13.1. Waste treatment methods

Waste from Residues/Unused Products	Dispose of in accordance with the European Directives on waste and hazardous waste.
Contaminated Packaging	Empty containers should be taken for local recycling, recovery or waste disposal.
EWC waste disposal No	No information available
Other Information	Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG	Not regulated
RID	
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)

Chemical name	French RG number
Diatomaceous earth 61790-53-2	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

Germany

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AIIC DSL: Canada	No - Not all of the components are listed. No - Not all of the components are listed. One or more component is listed on NDSL.
EINECS: European Union Inventory of Existing Substances	No - Not all of the components are listed.
ENCS IECSC	No - Not all of the components are listed. No - Not all of the components are listed.
KECL	No - Not all of the components are listed.

PICCS TSCA: United States

No - Not all of the components are listed. Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances
DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List
IECSC - China Inventory of Existing Chemical Substances
EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances
ENCS - Japan Existing and New Chemical Substances
KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3 EUH071 - Corrosive to the respiratory tract H225 - Highly flammable liquid and vapour H301 - Toxic if swallowed H302 - Harmful if swallowed H311 - Toxic in contact with skin H314 - Causes severe skin burns and eye damage H315 - Causes skin irritation H317 - May cause an allergic skin reaction H318 - Causes serious eye damage H330 - Fatal if inhaled H331 - Toxic if inhaled H372 - Causes damage to organs through prolonged or repeated exposure H400 - Very toxic to aquatic life H410 - Very toxic to aquatic life with long lasting effects **Classification procedure:** Expert judgment and weight of evidence determination Data from internal and external sources Key literature references and sources for data **Prepared By** Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 800-225-5554 **Issuing Date** 11/10/2022 11/10/2022 **Revision Date: Revision Summary Initial Release**

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this

information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet