

SAFETY DATA SHEET

Issuing Date 20-Aug-2015

Revision Date: 20-Aug-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name Product Code Alternate Product Code Product List Product Class Color Recommended use Restrictions on use

STIX WATERBORNE BONDING PRIMER - WHITE

SXA-110 XA0501 SXA1100 D1 WATER THINNED PAINT White Paint No information available

Emergency Telephone Number(s)

CHEMTREC: +1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

Manufacturer Benjamin Moore & Co.

101 Paragon Drive Montvale, NJ 07645 Phone: 800-225-5554 insl-x.com

Only Representative (OR) ITS Testing Services (UK) Ltd.

e-mail: ies01.reach@intertek.com

Bainbridge House

United Kingdom M1 2PW

Manchester

86-90 London Road

Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008

Skin sensitization

<u>2.2.</u>

Product Identifier Contains 5-Chloro-2-methyl-4-isothiazolin-3-one



Hazard statements H317 - May cause an allergic skin reaction Category 1 - (H317)

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear protective gloves/protective clothing/eye protection/face protection P302 + P352 - IF ON SKIN: Wash with plenty of soap and water P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

<u>2.3.</u>

General Hazards

No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Talc	238-877-9	14807-96-6	20		Not available
Titanium dioxide	236-675-5	13463-67-7	15		Not available
Magnesium carbonate	208-915-9	546-93-0	5		Not available
5-Chloro-2-methyl-4-isothiazol in-3-one	247-500-7	26172-55-4	0.005	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

<u>4.1.</u>

Description of first aid measures

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician

Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available.
<u>5.2.</u>	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No.
Sensitivity To Mechanical Impact	No.
<u>5.3.</u>	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
<u>6.2.</u>	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
<u>6.3.</u>	
Methods For Containment	Absorb with inert material and place in suitable container for disposal.
Methods For Clean-Up	Clean contaminated surface thoroughly.
<u>6.4.</u>	

Other information

See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

<u>7.1.</u>

Handling

Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.

Keep container tightly closed. Keep out of the reach of

Architectural coating. Apply as directed. Refer to product

Hygiene Measures

<u>7.2.</u>

Storage

<u>7.3.</u>

Specific Uses

.

Wash thoroughly after handling.

label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable.

children.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

<u>8.1.</u>

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Talc 14807-96-6		TWA: 1 mg/m ³ STEL: 3 mg/m ³	TWA: 2 mg/m ³	TWA: 1.0 f/cm3 TWA: 3.0 mg/m ³ TWA: 6.0 mg/m ³		TWA: 10 mg/m ³ TWA: 2 mg/m ³
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Magnesium carbonate 546-93-0		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³			

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Talc	TWA: 10 mg/m ³			NDS: 1.0 mg/m ³	TWA: 2 mg/m ³	VLA-ED: 2 mg/m ³
14807-96-6 (17.9832)	TWA: 0.8 mg/m ³			NDS: 4.0 mg/m ³	-	_
Titanium dioxide	TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
13463-67-7(11.5566)	TWA: 4 mg/m ³	-	-	STEL: 30 mg/m ³	STEL: 15 mg/m ³	_
Magnesium carbonate			IPRV: 10 mg/m ³			VLA-ED: 10 mg/m ³
546-93-0 (4.49366)			•			-

8.2.

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

None known

Respiratory Protection

Eye Protection

Skin Protection

Hand protection

Hygiene Measures

In case of insufficient ventilation wear suitable respiratory equipment.

Safety glasses with side-shields.

Lightweight protective clothing.

Impervious gloves.

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance Odor **Odor Threshold** Property Density (g/L) **Relative Density** pН Viscosity (cps) Solubility Water Solubility **Evaporation Rate** Vapor Pressure Vapor Density Wt. % Solids Vol. % Solids Wt. % Volatiles Vol. % Volatiles VOC Regulatory Limit (g/L) Boiling Point (°C) Freezing Point (°C) Melting Point (°C) Flash Point (°C) Flammability (solid, gas) **Upper Explosion Limit** Lower Explosion Limit Autoignition Temperature (°C) **Decomposition Temperature (°C)** Partition Coefficient (n-octanol/water) **Explosive properties Oxidizing Properties**

liquid little or no odor No information available

Values	Remarks/ Method
1342 - 1354	None known
1.32 - 1.36	None known
No information available	None known
55 - 65	None known
35 - 45	None known
35 - 45	None known
55 - 65	None known
< 50	None known
100	None known
0	None known
No information available	None known
Not applicable	None known
No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1. Reactivity

Not Applicable.

No information available

10.2.Chemical StabilityStable under normal conditions.10.3.To stable under normal conditions of use.Possibility Of Hazardous ReactionsNone under normal conditions of use.10.4.To AvoidConditions To AvoidPrevent from freezing.10.5.Incompatible MaterialsIncompatible MaterialsNo materials to be especially mentioned.10.6.Hazardous Decomposition Products

Section 11: TOXICOLOGICAL INFORMATION

<u>11.1.</u>

Product Information

Inhalation	There is no data available for this product.
Eye contact	There is no data available for this product.
Skin contact	Repeated or prolonged skin contact may cause allergic reactions with susceptible persons.
Ingestion	There is no data available for this product.
Acute Toxicity	

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide	> 10000 mg/kg (Rat)		
13463-67-7			
5-Chloro-2-methyl-4-isothiazolin-3-o	= 481 mg/kg (Rat)		= 1.23 mg/L (Rat)4 h
ne			
26172-55-4			

Skin corrosion/irritation	No information available.
Eye damage/irritation	No information available.
Sensitization:	May cause an allergic skin reaction.
Mutagenic Effects	No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen
Silica, crystalline 14808-60-7		1 - Human Carcinogen

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target Organ Effects	No information available.
Symptoms	No information available.
Aspiration Hazard	No information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Talc		LC50 > 100 g/L Brachydanio rerio	
14807-96-6		(96 h)	
5-Chloro-2-methyl-4-isothiazolin-3-o	EC50 0.11 - 0.16 mg/L (72 h)	LC50 = 1.6 mg/L Oncorhynchus	EC50 = 4.71 mg/L (48 h) EC50
ne		mykiss (96 h)	0.12 - 0.3 mg/L (48 h) EC50 0.71 -
26172-55-4			0.99 mg/L (48 h)

<u>12.2.</u>

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation

No information available.

Chemical Name	log Pow =
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	0.75

SXA-110 - STIX WATERBORNE BONDING PRIMER - WHITE

<u>12.4.</u>

Mobility in soil	No information available.
Mobility in Environmental Media	No information available.
<u>12.5.</u>	
PBT and vPvB assessment	No information available.
<u>12.6.</u>	
Other adverse effects	No information available

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused ProductsDispose of in accordance with the European Directives on
waste and hazardous waste.Contaminated PackagingEmpty containers should be taken for local recycling,
recovery or waste disposal.EWC waste disposal NoNo information availableOther InformationWaste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO	Not regulated
<u>RID</u>	Not regulated
ADR	Not regulated
ADN	Not regulated
ΙΑΤΑ	Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Talc 14807-96-6	RG 25

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia	No - Not all of the components are listed.
DSL: Canada	Yes - All components are listed or exempt.
EINECS: European Union	No - Not all of the components are listed.
ENCS : Japan	No - Not all of the components are listed.
IECS : China	No - Not all of the components are listed.
KECL: South Korea	No - Not all of the components are listed.
PICCS: Philippines	No - Not all of the components are listed.
TSCA: United States	Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List IECSC - China Inventory of Existing Chemical Substances EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances ENCS - Japan Existing and New Chemical Substances KECL - Korean Existing and Evaluated Chemical Substances PICCS - Philippines Inventory of Chemicals and Chemical Substances TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

- H311 Toxic in contact with skin
- H314 Causes severe skin burns and eye damage
- H317 May cause an allergic skin reaction
- H400 Very toxic to aquatic life
- H410 Very toxic to aquatic life with long lasting effects

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	20-Aug-2015
Revision Date:	20-Aug-2015

Revision Summary

Change to Format

<u>Disclaimer</u>

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet