



SAFETY DATA SHEET

Issuing Date 03-Apr-2015

Revision Date: 03-Apr-2015

Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name	REGAL SELECT PREMIUM INTERIOR PAINT FLAT FINISH BASE 1
Product Code	5471X
Product Class	WATER THINNED PAINT
Color	All
Recommended use	Paint
Restrictions on use	No information available

Manufacturer
Benjamin Moore & Co.
101 Paragon Drive
Montvale, NJ 07645
Phone: 855-724-6802
www.benjaminmoore.com

Only Representative (OR)
ITS Testing Services (UK) Ltd.
Bainbridge House
86-90 London Road
Manchester
United Kingdom
M1 2PW
e-mail: ies01.reach@intertek.com

Emergency Telephone Number(s)
CHEMTREC:
+1-703-527-3887 (INTERNATIONAL)
1-800-424-9300 (NORTH AMERICA)

Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization	Category 1 - (H317)
---------------------------	---------------------

Classification according to EU Directives 67/548/EEC or 1999/45/EC
For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s)
Xi - Irritant

R-code(s)
R43

2.2.

Product Identifier



Signal word

Warning

Hazard statements

H317 - May cause an allergic skin reaction

Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards

No information available.

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	20	Unclassified		Not available
Limestone	215-279-6	1317-65-3	10	Unclassified		Not available
Diatomaceous earth	-	61790-53-2	5	Unclassified		Not available
Silica, amorphous	231-545-4	7631-86-9	5	Unclassified		Not available
2-Methyl-4-isothiazolin-3-one	220-239-6	2682-20-4	0.1	C;R34 Xn;R22 T;R23 R43 N; R50	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

5-Chloro-2-methyl-4-isothiazolin-3-one	247-500-7	26172-55-4	0.005	T; R23/24/25 C; R34 R43 N; R50-53	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available
--	-----------	------------	-------	--	--	---------------

For the full text of the R phrases mentioned in this Section, see Section 16
 Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

General Advice	No hazards which require special first aid measures.
Eye Contact	Rinse thoroughly with plenty of water for at least 15 minutes and consult a physician.
Skin Contact	Wash off immediately with soap and plenty of water removing all contaminated clothes and shoes.
Inhalation	Move to fresh air. If symptoms persist, call a physician.
Ingestion	Clean mouth with water and afterwards drink plenty of water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects	May cause allergic skin reaction.
--	-----------------------------------

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician	Treat symptomatically.
---------------------------	------------------------

Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Unsuitable Extinguishing Media	No information available
5.2.	
Specific Hazards Arising From The Chemical	Closed containers may rupture if exposed to fire or extreme heat.
Sensitivity To Static Discharge	No
Sensitivity To Mechanical Impact	No
5.3.	
Protective Equipment And Precautions For Firefighters	Wear self-contained breathing apparatus and protective suit.

Section 6: ACCIDENTAL RELEASE MEASURES

6.1.	
Personal Precautions	Avoid contact with skin, eyes and clothing. Ensure adequate ventilation.
Other Information	Observe all relevant local and international regulations.
6.2.	
Environmental Precautions	Prevent further leakage or spillage if safe to do so.
6.3.	
Methods For Containment	Absorb with inert material and place in suitable container for disposal.
Methods For Clean-Up	Clean contaminated surface thoroughly.
6.4.	
Other information	See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

7.1.	
Handling	Avoid contact with skin, eyes and clothing. Avoid breathing vapors, spray mists or sanding dust. In case of insufficient ventilation, wear suitable respiratory equipment.
Hygiene Measures	Wash thoroughly after handling.
7.2.	

Storage

Keep container tightly closed. Keep out of the reach of children.

7.3.

Specific Uses

Architectural coating. Apply as directed. Refer to product label / literature for specific instructions.

Risk Management Methods (RMM)

Not Applicable

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Limestone 1317-65-3		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 12 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 1.0 f/cm ³ TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Titanium dioxide 13463-67-7		TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³ TWA: 5 mg/m ³
Diatomaceous earth 61790-53-2		TWA: 1.2 mg/m ³ STEL: 3.6 mg/m ³	TWA: 3 mg/m ³ TWA: 10 mg/m ³	TWA: 1.0 mg/m ³		
Silica, amorphous 7631-86-9		TWA: 2.4 mg/m ³ TWA: 6 mg/m ³ STEL: 18 mg/m ³ STEL: 7.2 mg/m ³				

Chemical Name	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Limestone 1317-65-3	TWA: 10 mg/m ³ TWA: 4 mg/m ³					
Titanium dioxide 13463-67-7	TWA: 10 mg/m ³ TWA: 4 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³ STEL: 15 mg/m ³	TWA: 10 mg/m ³
Diatomaceous earth 61790-53-2				NDS: 10 mg/m ³ NDS: 2.0 mg/m ³		VLA-ED: 10 mg/m ³ VLA-ED: 3 mg/m ³
Silica, amorphous 7631-86-9	TWA: 6 mg/m ³ TWA: 2.4 mg/m ³	TWA: 1 mg/m ³				

8.2.

Occupational exposure controls

Engineering Measures

Ensure adequate ventilation, especially in confined areas

Personal Protective Equipment

Respiratory Protection

In case of insufficient ventilation wear suitable respiratory equipment.

Eye Protection

Safety glasses with side-shields.

Skin Protection

Lightweight protective clothing

Hand protection

Impervious gloves

Hygiene Measures

Avoid contact with skin, eyes and clothing. Remove and wash contaminated clothing before re-use. Wash thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

<p>Appearance Odor Odor Threshold</p>	<p>liquid little or no odor No information available</p>
--	--

<u>Property</u>	<u>Values</u>	<u>Remarks/Method</u>
Density (g/L)	1330 - 1366	None known
Relative Density	1.33 - 1.37	None known
pH	No information available	None known
Viscosity (cps)	No information available	None known
Solubility	No information available	None known
Water Solubility	No information available	None known
Evaporation Rate	No information available	None known
Vapor Pressure	No information available	None known
Vapor Density	No information available	None known
Wt. % Solids	50 - 60	None known
Vol. % Solids	35 - 45	None known
Wt. % Volatiles	40 - 50	None known
Vol. % Volatiles	55 - 65	None known
VOC Regulatory Limit (g/L)	0	None known
Boiling Point (°C)	100	None known
Freezing Point (°C)	0	None known
Melting Point (°C)	No information available	None known
Flash Point (°C)	Not applicable	None known
Flammability (solid, gas)	No information available	None known
Upper Explosion Limit	No information available	None known
Lower Explosion Limit	No information available	None known
Autoignition Temperature (°C)	No information available	None known
Decomposition Temperature (°C)	No information available	None known
Partition Coefficient (n-octanol/water)	No information available.	None known
Explosive properties	No information available	None known
Oxidizing Properties	No information available	None known

Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity	Not Applicable
-------------------	----------------

10.2.

Chemical Stability Stable under normal conditions

10.3.

Possibility Of Hazardous Reactions None under normal conditions of use

10.4.

Conditions To Avoid Prevent from freezing

10.5.

Incompatible Materials No materials to be especially mentioned

10.6.

Hazardous Decomposition Products None under normal use

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product
Eye contact There is no data available for this product.
Skin contact There is no data available for this product.
Ingestion There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	= 481 mg/kg (Rat)		= 1.23 mg/L (Rat) 4 h

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization: May cause sensitization by skin contact.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide 13463-67-7		2B - Possible Human Carcinogen

- Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects	No information available.
Developmental Effects	No information available.
STOT - single exposure	No information available.
STOT - repeated exposure	No information available.
Neurological Effects	No information available.
Target Organ Effects:	No information available.
Symptoms	No information available
Aspiration Hazard	No information available

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

The environmental impact of this product has not been fully investigated.

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous 7631-86-9	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio rerio (96 h)	EC50 = 7600 mg/L (48 h)
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	EC50 0.11 - 0.16 mg/L (72 h)	LC50 = 1.6 mg/L Oncorhynchus mykiss (96 h)	EC50 0.12 - 0.3 mg/L (48 h) EC50 0.71 - 0.99 mg/L (48 h) EC50 = 4.71 mg/L (48 h)

12.2.

Persistence / Degradability No information available.

12.3.

Bioaccumulation / Accumulation No information available.

Chemical Name	log Pow =
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	0.75

12.4.

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available.

Section 13: DISPOSAL CONSIDERATIONS

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling, recovery or waste disposal.

EWC waste disposal No No information available.

Other Information Waste codes should be assigned by the user based on the application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

IATA Not regulated

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Titanium dioxide 13463-67-7	-
Limestone 1317-65-3	-
Diatomaceous earth 61790-53-2	RG 25
Silica, amorphous 7631-86-9	RG 25
2-Methyl-4-isothiazolin-3-one 2682-20-4	-
5-Chloro-2-methyl-4-isothiazolin-3-one 26172-55-4	-

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia

DSL: Canada

EINECS: European Union

ENCS : Japan

IECS : China

KECL: South Korea

PICCS: Philippines

TSCA: United States

No - Not all of the components are listed.
 Yes - All components are listed or exempt.
 One or more component is listed on NDSL.
 No - Not all of the components are listed.
 No - Not all of the components are listed.
 No - Not all of the components are listed.
 No - Not all of the components are listed.
 No - Not all of the components are listed.
 No - Not all of the components are listed.
 Yes - All components are listed or exempt.

Legend

- AICS** - Australian Inventory of Chemical Substances
- DSL/NDSL** - Canadian Domestic Substances List/Non-Domestic Substances List
- IECSC** - China Inventory of Existing Chemical Substances
- EINECS/ELINCS** - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances
- ENCS** - Japan Existing and New Chemical Substances
- KECL** - Korean Existing and Evaluated Chemical Substances
- PICCS** - Philippines Inventory of Chemicals and Chemical Substances
- TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Text of R phrases mentioned in Sections 2 & 3

- R34 - Causes burns
- R50 - Very toxic to aquatic organisms
- R43 - May cause sensitization by skin contact
- R23 - Toxic by inhalation
- R22 - Harmful if swallowed
- R53 - May cause long-term adverse effects in the aquatic environment
- R23/24/25 - Toxic by inhalation, in contact with skin and if swallowed

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed
H311 - Toxic in contact with skin
H314 - Causes severe skin burns and eye damage
H331 - Toxic if inhaled
H317 - May cause an allergic skin reaction
H400 - Very toxic to aquatic life
H410 - Very toxic to aquatic life with long lasting effects
H318 - Causes serious eye damage
H335 - May cause respiratory irritation

Classification procedure:	Expert judgment and weight of evidence determination
Key literature references and sources for data	Data from internal and external sources
Prepared By	Product Stewardship Department Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 855-724-6802
Issuing Date	03-Apr-2015
Revision Date:	03-Apr-2015
Revision Summary	Change to Format

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet