

# **SAFETY DATA SHEET**

Issuing Date 04-May-2015 Revision Date: 04-May-2015 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ULTRA SPEC 500 INTERIOR FLAT FINISH - WHITE

Product Code N53601

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

Manufacturer Only Representative (OR)

Benjamin Moore & Co. ITS Testing Services (UK) Ltd.

101 Paragon Drive Bainbridge House

Montvale, NJ 07645 86-90 London Road

Phone: 855-724-6802 Manchester

www.benjaminmoore.com
United Kingdom
M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# Section 2: HAZARDS IDENTIFICATION

2.1.

REGULATION (EC) No 1272/2008

Skin sensitization Category 1 - (H317)

### Classification according to EU Directives 67/548/EEC or 1999/45/EC

For the full text of the R phrases mentioned in this Section, see Section 16

Symbol(s)

Xi - Irritant

R-code(s)

R43

2.2.

**Product Identifier** 

Contains 2-Methyl-4-isothiazolin-3-one

Revision Date: 04-May-2015



Signal word Warning

#### **Hazard statements**

H317 - May cause an allergic skin reaction

### Precautionary Statements - EU (§28, 1272/2008)

P280 - Wear eye protection/ face protection

P302 + P352 - IF ON SKIN: Wash with plenty of soap and water

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

2.3.

General Hazards No information available

## Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

### 3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU Classification	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	25	Unclassified		Not available
Limestone	215-279-6	1317-65-3	10	Unclassified		Not available
Silica, amorphous	231-545-4	7631-86-9	5	Unclassified		Not available
Diatomaceous earth	-	61790-53-2	5	Unclassified		Not available
Aluminum hydroxide	244-492-7	21645-51-2	5	Unclassified		Not available
2-Methyl-4-isothiazolin-3-o ne	220-239-6	2682-20-4	0.005	C;R34 Xn;R22 T;R23 R43 N; R50	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Skin Sens. 1 (H317) Eye Dam. 1 (H318) STOT SE 3 (H335) Aquatic Acute 1 (H400)	Not available

For the full text of the R phrases mentioned in this Section, see Section 16 Full text of H- and EUH-phrases: see section 16

# Section 4: FIRST AID MEASURES

<u>4.1.</u>

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water

removing all contaminated clothes and shoes.

Revision Date: 04-May-2015

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2.

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No.

Sensitivity To Mechanical Impact No.

<u>5.3.</u>

**Protective Equipment And Precautions For** 

**Firefighters** 

Wear self-contained breathing apparatus and protective

suit.

WHITE

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

<u>6.3.</u>

Methods For Containment

Aborb with inert material and place in suitable container for

disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

<u>6.4.</u>

**Other information** See Section 12 for additional information.

# Section 7: HANDLING AND STORAGE

7.1.

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 04-May-2015

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

**Exposure limits** 

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece

Titanium dioxide 13463-67-7	TWA STEL:	10 mg/m³ : 4 mg/m³ : 30 mg/m³ 12 mg/m³	<sup>3</sup> TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m³ TWA: 5 mg/m³
Limestone 1317-65-3	TWA STEL:	10 mg/m³ : 4 mg/m³ 12 mg/m³ 30 mg/m³	TWA: 1.0 f/cm3 TWA: 10.0 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> TWA: 5 mg/m <sup>3</sup>
Silica, amorphous 7631-86-9	TWA STEL:	2.4 mg/m <sup>3</sup> : 6 mg/m <sup>3</sup> : 18 mg/m <sup>3</sup> 7.2 mg/m <sup>3</sup>		
Diatomaceous earth 61790-53-2		1.2 mg/m³ TWA: 3 mg/m³ 3.6 mg/m³ TWA: 10 mg/m³		
Aluminum hydroxide 21645-51-2	TWA STEL:	10 mg/m <sup>3</sup> : 4 mg/m <sup>3</sup> : 12 mg/m <sup>3</sup> : 30 mg/m <sup>3</sup>	TWA: 1.5 mg/m <sup>3</sup> TWA: 10.0 mg/m <sup>3</sup>	

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide 13463-67-7 ( 20.0337 )	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>	TWA: 5 mg/m <sup>3</sup>	TWA: 10.0 mg/m <sup>3</sup> STEL: 30 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup> STEL: 15 mg/m <sup>3</sup>	TWA: 10 mg/m <sup>3</sup>
Limestone 1317-65-3 ( 5.02131 )	TWA: 10 mg/m <sup>3</sup> TWA: 4 mg/m <sup>3</sup>					
Silica, amorphous 7631-86-9 ( 3.23935 )	TWA: 6 mg/m <sup>3</sup> TWA: 2.4 mg/m <sup>3</sup>	TWA: 1 mg/m <sup>3</sup>				
Diatomaceous earth 61790-53-2 ( 2.10157 )				NDS: 10 mg/m <sup>3</sup> NDS: 2.0 mg/m <sup>3</sup>		VLA-ED: 10 mg/m <sup>3</sup> VLA-ED: 3 mg/m <sup>3</sup>
Aluminum hydroxide 21645-51-2 ( 1.36773 )		TWA: 6 mg/m <sup>3</sup>	IPRV: 6 mg/m <sup>3</sup>	NDS: 1.2 mg/m <sup>3</sup> NDS: 2.5 mg/m <sup>3</sup>		

8.2.

Occupational exposure controls

**Engineering Measures** Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

**Skin Protection** Lightweight protective clothing.

Hand protection Impervious gloves.

**Hygiene Measures** Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 04-May-2015

thoroughly after handling.

# **Section 9: PHYSICAL AND CHEMICAL PROPERTIES**

<u>9.1.</u>

Appearance liquid

**Odor** little or no odor

Odor Threshold No information available

N53601 - ULTRA SPEC 500 INTERIOR FLAT FINISH - WHITE

Revision Date: 04-May-2015

**Property** Values Remarks/ Method 1342 - 1402 None known Density (g/L) 1.34 - 1.41 None known **Relative Density** No information available Hq None known Viscosity (cps) No information available None known None known No information available Solubility Water Solubility No information available None known **Evaporation Rate** No information available None known No information available **Vapor Pressure** None known **Vapor Density** No information available None known 50 - 60 Wt. % Solids None known Vol. % Solids 35 - 45 None known Wt. % Volatiles 40 - 50 None known Vol. % Volatiles 55 - 65 None known VOC Regulatory Limit (g/L) < 50 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition Coefficient (n-octanol/water) No information available None known No information available **Explosive properties** None known **Oxidizing Properties** No information available None known

# Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity Not Applicable.

<u>10.2.</u>

Chemical Stability Stable under normal conditions.

10.3.

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

<u>10.5.</u>

**Incompatible Materials**No materials to be especially mentioned.

<u>10.6.</u>

Hazardous Decomposition Products

None under normal use.

Revision Date: 04-May-2015

# Section 11: TOXICOLOGICAL INFORMATION

### <u>11.1.</u>

#### **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact** There is no data available for this product.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

### Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica, amorphous 7631-86-9	> 5000 mg/kg (Rat)	> 2000 mg/kg ( Rabbit )	> 2.2 mg/L (Rat)1 h
Aluminum hydroxide 21645-51-2	> 5000 mg/kg (Rat)		

**Skin corrosion/irritation**No information available.

**Eye damage/irritation** No information available.

**Sensitization:** May cause sensitization by skin contact.

Mutagenic Effects No information available.

#### Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

EU Annex I Carcinogen Information	IARC
	2B - Possible Human Carcinogen
	U Annex i Carcinogen information

<sup>•</sup> Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

IARC - International Agency for Research on Cancer

Reproductive Effects

No information available.

Developmental Effects

No information available.

STOT - single exposure

No information available.

STOT - repeated exposure

No information available.

N53601 - ULTRA SPEC 500 INTERIOR FLAT FINISH -

WHITE

Revision Date: 04-May-2015

**Neurological Effects**No information available.

Target Organ Effects: No information available.

**Symptoms** No information available.

Aspiration Hazard No information available.

# Section 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

The environmental impact of this product has not been fully investigated

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio	EC50 = 7600 mg/L (48 h)
7631-86-9		rerio (96 h)	

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

12.4.

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5.

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

N53601 - ULTRA SPEC 500 INTERIOR FLAT FINISH -

WHITE

ADN

**EWC** waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 04-May-2015

## **Section 14: TRANSPORT INFORMATION**

IMDG / IMO Not regulated RID Not regulated Not regulated ADR Not regulated

Not regulated IATA

### Section 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

### Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number	
Silica, amorphous 7631-86-9	RG 25	
Diatomaceous earth 61790-53-2	RG 25	

#### **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **International Inventories**

AICS: Australia No - Not all of the components are listed.

No - Not all of the components are listed. **DSL: Canada** One or more component is listed on NDSL.

**EINECS: European Union** No - Not all of the components are listed. **ENCS**: Japan No - Not all of the components are listed.

**IECS: China** No - Not all of the components are listed. **KECL: South Korea** No - Not all of the components are listed. **PICCS: Philippines** No - Not all of the components are listed. **TSCA: United States** Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Commercial Chemical Substances/EU List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

**KECL** - Korean Existing and Evaluated Chemical Substances

**PICCS** - Philippines Inventory of Chemicals and Chemical Substances **TSCA** - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

**Chemical Safety Report** 

No information available

Revision Date: 04-May-2015

### Section 16: OTHER INFORMATION

### Text of R phrases mentioned in Sections 2 & 3

R34 - Causes burns

R50 - Very toxic to aquatic organisms

R43 - May cause sensitization by skin contact

R23 - Toxic by inhalation

R22 - Harmful if swallowed

### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H314 - Causes severe skin burns and eye damage

H331 - Toxic if inhaled

H317 - May cause an allergic skin reaction

H400 - Very toxic to aquatic life

H318 - Causes serious eye damage

H335 - May cause respiratory irritation

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for data

Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645

855-724-6802

Issuing Date 04-May-2015

Revision Date: 04-May-2015

Revision Summary Change to Format

### **Disclaimer**

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**