

# **SAFETY DATA SHEET**

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Issuing Date 10-Nov-2017 Revision Date: 10-Nov-2017 Revision Number: 1

# Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH, BASE 1

Product Code 4851X Alternate Product Code 4851X

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

ManufacturerOnly Representative (OR)Benjamin Moore & Co.ITS Testing Services (UK) Ltd.

101 Paragon DriveBainbridge HouseMontvale, NJ 0764586-90 London RoadPhone: 1-866-708-9180Manchester

www.benjaminmoore.com United Kingdom M1 2PW

e-mail: ies01.reach@intertek.com

**Emergency Telephone Number(s)** 

CHEMTREC:

+1-703-527-3887 (INTERNATIONAL) 1-800-424-9300 (NORTH AMERICA)

# Section 2: HAZARDS IDENTIFICATION

## <u>2.1.</u>

REGULATION (EC) No 1272/2008

| <u> </u>                 |                     |
|--------------------------|---------------------|
| Acute aquatic toxicity   | Category 3          |
| Chronic aquatic toxicity | Category 3 - (H412) |

### 2.2.

## Product Identifier Hazard statements

H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-4-isothiazolin-3-one . May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

Revision Date: 10-Nov-2017

P273 - Avoid release to the environment

2.3.

General Hazards No information available

# Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable

## 3.2 Mixtures

| Chemical Name                           | EINECS/ELINCS No. | CAS-No     | Weight % (max) | EU - GHS Substance<br>Classification   | REACH No.     |
|---|-------------------|------------|----------------|--|---------------|
| Titanium dioxide                        | 236-675-5         | 13463-67-7 | 25             |  | Not available |
| Silica, amorphous                       | 231-545-4         | 7631-86-9  | 5              |  | Not available |
| 1,2-Benzisothiazolin-3-one              | 220-120-9         | 2634-33-5  | 0.1            | Acute Tox. 4 (H302)<br>Skin Irrit. 2 (H315)<br>Eye Dam. 1 (H318)<br>Skin Sens. 1 (H317)<br>Aquatic Acute 1<br>(H400)                                 | Not available |
| 5-Chloro-2-methyl-4-isothiazol in-3-one | 247-500-7         | 26172-55-4 | 0.001          | Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410) | Not available |

Full text of H- and EUH-phrases: see section 16

# **Section 4: FIRST AID MEASURES**

4.1.

Description of first aid measures

**General Advice**No hazards which require special first aid measures.

**Eye Contact**Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

**Inhalation** Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2.

·

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known

4.3.

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

# Section 5: FIRE FIGHTING MEASURES

5.1.

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 10-Nov-2017

Unsuitable Extinguishing Media No information available.

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

5.3.

**Protective Equipment And Precautions For** 

Firefighters

Wear self-contained breathing apparatus and protective

suit.

# Section 6: ACCIDENTAL RELEASE MEASURES

6.1.

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

**Environmental Precautions** Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

Methods For Clean-Up Clean contaminated surface thoroughly.

·

6.4.

Other information See Section 12 for additional information.

## Section 7: HANDLING AND STORAGE

7.1.

**Handling** Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 10-Nov-2017

ventilation, wear suitable respiratory equipment.

**Hygiene Measures** Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

<u>7.3.</u>

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

# Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

## <u>8.1.</u>

| Chemical Name     | EU | United Kingdom              | Belgium                   | Bulgaria                    | Cyprus | Greece                    |
|-------------------|----|-----------------------------|---------------------------|-----------------------------|--------|---------------------------|
| Titanium dioxide  |    | TWA: 10 mg/m <sup>3</sup>   | TWA: 10 mg/m <sup>3</sup> | TWA: 10.0 mg/m <sup>3</sup> |        | TWA: 10 mg/m <sup>3</sup> |
| 13463-67-7        |    | TWA: 4 mg/m <sup>3</sup>    |                           | TWA: 1.0 mg/m <sup>3</sup>  |        | TWA: 5 mg/m <sup>3</sup>  |
|                   |    | STEL: 30 mg/m <sup>3</sup>  |                           |                             |        |                           |
|                   |    | STEL: 12 mg/m <sup>3</sup>  |                           |                             |        |                           |
| Silica, amorphous |    | TWA: 6 mg/m <sup>3</sup>    |                           |                             |        |                           |
| 7631-86-9         |    | TWA: 2.4 mg/m <sup>3</sup>  |                           |                             |        |                           |
|                   |    | STEL: 18 mg/m <sup>3</sup>  |                           |                             |        |                           |
|                   |    | STEL: 7.2 mg/m <sup>3</sup> |                           |                             |        |                           |

| Component              | Ireland                     | Latvia                    | Lithuania                | Poland                      | Romania                   | Spain                     |
|------------------------|-----------------------------|---------------------------|--------------------------|-----------------------------|---------------------------|---------------------------|
| Titanium dioxide       | TWA: 10 mg/m <sup>3</sup>   | TWA: 10 mg/m <sup>3</sup> | TWA: 5 mg/m <sup>3</sup> | TWA: 10.0 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> | TWA: 10 mg/m <sup>3</sup> |
| 13463-67-7 ( 24.5152 ) | TWA: 4 mg/m <sup>3</sup>    |                           |                          | TWA: 10 mg/m <sup>3</sup>   | _                         | _                         |
|                        | STEL: 30 mg/m <sup>3</sup>  |                           |                          | STEL: 30 mg/m <sup>3</sup>  |                           |                           |
|                        | STEL: 12 mg/m <sup>3</sup>  |                           |                          | · ·                         |                           |                           |
| Silica, amorphous      | TWA: 6 mg/m <sup>3</sup>    | TWA: 1 mg/m <sup>3</sup>  |                          |                             |                           |                           |
| 7631-86-9 ( 1.23013 )  | TWA: 2.4 mg/m <sup>3</sup>  | •                         |                          |                             |                           |                           |
|                        | STEL: 18 mg/m <sup>3</sup>  |                           |                          |                             |                           |                           |
|                        | STEL: 7.2 mg/m <sup>3</sup> |                           |                          |                             |                           |                           |

8.2.

Occupational exposure controls

**Engineering Measures** 

Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

**Eye Protection** Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 10-Nov-2017

thoroughly after handling.

# Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

**Odor** little or no odor

Odor Threshold No information available

Values Remarks/ Method Property Density (g/L) 1258 - 1294 None known 1.25 - 1.30 **Relative Density** None known No information available None known Ha Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known **Vapor Pressure** No information available None known **Vapor Density** No information available None known Wt. % Solids 45 - 55 None known 35 - 45 Vol. % Solids None known 45 - 55 Wt. % Volatiles None known Vol. % Volatiles 55 - 65 None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known Melting Point (°C) No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known **Decomposition Temperature (°C)** No information available None known Partition Coefficient (n-octanol/water) No information available None known **Explosive properties** No information available None known **Oxidizing Properties** No information available None known

# Section 10: STABILITY AND REACTIVITY

<u>10.1.</u>

Reactivity Not Applicable.

4851X - ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH, BASE 1

Revision Date: 10-Nov-2017

10.2.

Chemical Stability Stable under normal conditions.

<u>10.3.</u>

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

<u>10.5.</u>

Incompatible Materials No materials to be especially mentioned.

10.6.

Hazardous Decomposition Products None under normal use.

# Section 11: TOXICOLOGICAL INFORMATION

11.1.

## **Product Information**

**Inhalation** There is no data available for this product.

**Eye contact**There is no data available for this product.

**Skin contact**There is no data available for this product.

**Ingestion** There is no data available for this product.

**Acute Toxicity** 

## Component

| Chemical Name                           | LD50 Oral:          | LD50 Dermal:          | LC50 Inhalation:      |
|---|---------------------|-----------------------|-----------------------|
| Titanium dioxide<br>13463-67-7          | > 10000 mg/kg (Rat) |                       |                       |
| Silica, amorphous<br>7631-86-9          | > 5000 mg/kg (Rat)  | > 2000 mg/kg (Rabbit) | > 2.2 mg/L (Rat)1 h   |
| 1,2-Benzisothiazolin-3-one<br>2634-33-5 | = 1020 mg/kg (Rat)  |                       |                       |
| 5-Chloro-2-methyl-4-isothiazolin-3-o    | = 481 mg/kg (Rat)   |                       | = 1.23 mg/L (Rat) 4 h |
| ne<br>26172-55-4                        |                     |                       |                       |

Skin corrosion/irritation No information available.

**Eye damage/irritation**No information available.

4851X - ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH, BASE 1

Revision Date: 10-Nov-2017

**Sensitization** No sensitizing effects known.

Mutagenic Effects No information available.

## Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical Name    | EU Annex I Carcinogen Information | IARC                           |
|------------------|-----------------------------------|--------------------------------|
| Titanium dioxide |                                   | 2B - Possible Human Carcinogen |
| 13463-67-7       |                                   |                                |

• Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

#### Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

**Developmental Effects**No information available.

**STOT - single exposure**No information available.

**STOT - repeated exposure**No information available.

**Neurological Effects**No information available.

Target Organ Effects No information available.

**Symptoms** No information available.

Aspiration Hazard No information available.

# Section 12: ECOLOGICAL INFORMATION

## **12.1. Toxicity**

Harmful to aquatic life with long lasting effects

| Chemical Name                        | Freshwater Algae Data        | Freshwater Fish Species Data | Water Flea Data                    |
|--------------------------------------|------------------------------|------------------------------|------------------------------------|
| Silica, amorphous                    | EC50 = 440  mg/L  (72  h)    | LC50 = 5000 mg/L Brachydanio | EC50 = 7600 mg/L (48 h)            |
| 7631-86-9                            |                              | rerio (96 h)                 | , , ,                              |
| 5-Chloro-2-methyl-4-isothiazolin-3-o | EC50 0.11 - 0.16 mg/L (72 h) | LC50 = 1.6 mg/L Oncorhynchus | EC50 = 4.71 mg/L (48 h) EC50       |
| ne                                   |                              | mykiss (96 h)                | 0.12 - 0.3 mg/L (48 h) EC50 0.71 - |
| 26172-55-4                           |                              |                              | 0.99 mg/L (48 h)                   |

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation No information available.

| Chemical Name  | log Pow = |
|--|-----------|
| 1,2-Benzisothiazolin-3-one<br>2634-33-5              | 1.3       |
| 5-Chloro-2-methyl-4-isothiazolin-3-one<br>26172-55-4 | 0.75      |

12.4.

Mobility in soilNo information available.Mobility in Environmental MediaNo information available.

<u>12.5.</u>

PBT and vPvB assessment No information available.

<u>12.6.</u>

Other adverse effects No information available

# **Section 13: DISPOSAL CONSIDERATIONS**

13.1.

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

**EWC waste disposal No**No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Revision Date: 10-Nov-2017

# Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

# **Section 15: REGULATORY INFORMATION**

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Revision Date: 10-Nov-2017

#### Occupational Illnesses (R-463-3, France)

| Chemical Name              | French RG number |
|----------------------------|------------------|
| Silica, amorphous          | RG 25            |
| 7631-86-9                  |                  |
| 1,2-Benzisothiazolin-3-one | RG 65            |
| 2634-33-5                  |                  |

## **European Union**

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

#### **International Inventories**

AICS: Australia

No - Not all of the components are listed.

No - Not all of the components are listed.

One or more component is listed on NDSL.

EINECS: European Union

ENCS: Japan

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

No - Not all of the components are listed.

PICCS: Philippines
No - Not all of the components are listed.

TSCA: United States

No - Not all of the components are listed.

Yes - All components are listed or exempt.

## Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

**ENCS** - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

<u>15.2.</u>

## **Chemical Safety Report**

No information available

# **Section 16: OTHER INFORMATION**

### Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

### Classification procedure:

Expert judgment and weight of evidence determination

4851X - ULTRA SPEC SCUFF-X INTERIOR EGGSHELL FINISH, BASE 1

**Key literature references and sources for data**Data from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 10-Nov-2017

855-724-6802

Issuing Date 10-Nov-2017

Revision Date: 10-Nov-2017

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

**End of Safety Data Sheet**