

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Emergency Telephone Number(s)

+1-703-527-3887 (INTERNATIONAL)

1-800-424-9300 (NORTH AMERICA)

CHEMTREC:

Issuing Date 09-Nov-2017 Revision Date: 09-Nov-2017 Revision Number: 1

Section 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

Product Name ULTRA SPEC SCUFF-X INTERIOR MATTE FINISH, BASE 1

Product Code 4841X Alternate Product Code 4841X

Product Class WATER THINNED PAINT

Color All Recommended use Paint

Restrictions on use No information available

Manufacturer Only Representative (OR)

Benjamin Moore & Co. ITS Testing Services (UK) Ltd. 101 Paragon Drive Bainbridge House Montvale, NJ 07645 86-90 London Road Phone: 1-866-708-9180 Manchester

www.benjaminmoore.com United Kingdom

M1 2PW

e-mail: ies01.reach@intertek.com

Section 2: HAZARDS IDENTIFICATION

<u>2.1.</u>

REGULATION (EC) No 1272/2008

Acute aquatic toxicity	Category 3
Chronic aquatic toxicity	Category 3 - (H412)

2.2.

Product Identifier Hazard statements

H412 - Harmful to aquatic life with long lasting effects

EUH208 - Contains 1,2-Benzisothiazolin-3-one, 5-Chloro-2-methyl-4-isothiazolin-3-one . May produce an allergic reaction

Precautionary Statements - EU (§28, 1272/2008)

4841X - ULTRA SPEC SCUFF-X INTERIOR MATTE FINISH, BASE 1

Revision Date: 09-Nov-2017

P273 - Avoid release to the environment

2.3.

General Hazards No information available

Section 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable

3.2 Mixtures

Chemical Name	EINECS/ELINCS No.	CAS-No	Weight % (max)	EU - GHS Substance Classification	REACH No.
Titanium dioxide	236-675-5	13463-67-7	25		Not available
Kaolin, calcined	266-340-9	66402-68-4	5		Not available
Silica, amorphous	231-545-4	7631-86-9	5		Not available
1,2-Benzisothiazolin-3-one	220-120-9	2634-33-5	0.1	Acute Tox. 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400)	Not available
5-Chloro-2-methyl-4-isothiazol in-3-one	247-500-7	26172-55-4	0.001	Acute Tox. 3 (H301) Acute Tox. 3 (H311) Skin Corr. 1B (H314) Acute Tox. 3 (H331) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) Aquatic Chronic 1 (H410)	Not available

Full text of H- and EUH-phrases: see section 16

Section 4: FIRST AID MEASURES

4.1.

Description of first aid measures

General AdviceNo hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

FINISH, BASE 1

4.2.

Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects None known

<u>4.3.</u>

Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

Section 5: FIRE FIGHTING MEASURES

<u>5.1.</u>

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Revision Date: 09-Nov-2017

Unsuitable Extinguishing Media No information available.

<u>5.2.</u>

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

Sensitivity To Static Discharge No

Sensitivity To Mechanical Impact No

<u>5.3.</u>

Protective Equipment And Precautions For

Firefighters

Wear self-contained breathing apparatus and protective

suit.

Section 6: ACCIDENTAL RELEASE MEASURES

<u>6.1.</u>

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2.

Environmental Precautions Prevent further leakage or spillage if safe to do so.

6.3.

Methods For Containment Absorb with inert material and place in suitable container

for disposal.

FINISH, BASE 1

Methods For Clean-Up

Clean contaminated surface thoroughly.

<u>6.4.</u>

Other information See Section 12 for additional information.

Section 7: HANDLING AND STORAGE

<u>7.1.</u>

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 09-Nov-2017

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2.

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3.

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

Section 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1.

Exposure limits

Chemical Name	EU	United Kingdom	Belgium	Bulgaria	Cyprus	Greece
Titanium dioxide		TWA: 10 mg/m ³	TWA: 10 mg/m ³	TWA: 10.0 mg/m ³		TWA: 10 mg/m ³
13463-67-7		TWA: 4 mg/m ³		TWA: 1.0 mg/m ³		TWA: 5 mg/m ³
		STEL: 30 mg/m ³				
		STEL: 12 mg/m ³				
Kaolin, calcined		TWA: 5 mg/m ³		TWA: 0.3 mg/m ³		TWA: 5 mg/m ³
66402-68-4		TWA: 0.5 mg/m ³		TWA: 1.0 mg/m ³		STEL: 10 mg/m ³
		STEL: 10 mg/m ³		STEL: 3.0 mg/m ³		
		STEL: 1.5 mg/m ³				
Silica, amorphous		TWA: 6 mg/m ³				
7631-86-9		TWA: 2.4 mg/m ³				
		STEL: 18 mg/m ³				
		STEL: 7.2 mg/m ³				

Component	Ireland	Latvia	Lithuania	Poland	Romania	Spain
Titanium dioxide 13463-67-7 (23.4245)	TWA: 10 mg/m ³ TWA: 4 mg/m ³ STEL: 30 mg/m ³ STEL: 12 mg/m ³	TWA: 10 mg/m ³	TWA: 5 mg/m ³	TWA: 10.0 mg/m ³ TWA: 10 mg/m ³ STEL: 30 mg/m ³	TWA: 10 mg/m ³	TWA: 10 mg/m ³
Kaolin, calcined 66402-68-4 (3.0761)		TWA: 2 mg/m³	TWA: 1 mg/m ³ TWA: 0.5 mg/m ³	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ TWA: 0.05 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ STEL: 10 mg/m ³	TWA: 5 mg/m ³ TWA: 0.2 mg/m ³ STEL: 10 mg/m ³
Silica, amorphous	TWA: 6 mg/m ³	TWA: 1 mg/m ³				

FINISH, BASE 1

7631-86-9 (1.17536)	TWA: 2.4 mg/m³ STEL: 18 mg/m³			
	STEL: 7.2 mg/m ³			

8.2.

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 09-Nov-2017

thoroughly after handling.

Section 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1.

Appearance liquid

Odor little or no odor

Odor Threshold No information available

Remarks/ Method Property Values 1270 - 1306 Density (g/L) None known 1.27 - 1.31**Relative Density** None known No information available None known Viscosity (cps) No information available None known Solubility No information available None known **Water Solubility** No information available None known **Evaporation Rate** No information available None known No information available **Vapor Pressure** None known No information available **Vapor Density** None known Wt. % Solids 45 - 55 None known Vol. % Solids 35 - 45 None known Wt. % Volatiles 45 - 55 None known 55 - 65 Vol. % Volatiles None known **Boiling Point (°C)** 100 None known Freezing Point (°C) None known **Melting Point (°C)** No information available None known Flash Point (°C) Not applicable None known Flammability (solid, gas) No information available None known **Upper Explosion Limit** No information available None known **Lower Explosion Limit** No information available None known **Autoignition Temperature (°C)** No information available None known

FINISH, BASE 1

Revision Date: 09-Nov-2017

Decomposition Temperature (°C)No information availableNone knownPartition Coefficient (n-octanol/water)No information availableNone knownExplosive propertiesNo information availableNone knownOxidizing PropertiesNo information availableNone known

Section 10: STABILITY AND REACTIVITY

10.1.

Reactivity Not Applicable.

10.2.

Chemical Stability Stable under normal conditions.

10.3.

Possibility Of Hazardous Reactions None under normal conditions of use.

<u>10.4.</u>

Conditions To Avoid Prevent from freezing.

10.5.

Incompatible Materials No materials to be especially mentioned.

10.6.

Hazardous Decomposition Products

None under normal use.

Section 11: TOXICOLOGICAL INFORMATION

11.1.

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contactThere is no data available for this product.

Ingestion There is no data available for this product.

Acute Toxicity

Component

Chemical Name	LD50 Oral:	LD50 Dermal:	LC50 Inhalation:
Titanium dioxide 13463-67-7	> 10000 mg/kg (Rat)		
Silica, amorphous	> 5000 mg/kg (Rat)	> 2000 mg/kg (Rabbit)	> 2.2 mg/L (Rat) 1 h

4841X - ULTRA SPEC SCUFF-X INTERIOR MATTE FINISH, BASE 1

Revision Date: 09-Nov-2017

7631-86-9		
1,2-Benzisothiazolin-3-one	= 1020 mg/kg (Rat)	
2634-33-5		
5-Chloro-2-methyl-4-isothiazolin-3-o	= 481 mg/kg (Rat)	= 1.23 mg/L (Rat) 4 h
ne		
26172-55-4		

Skin corrosion/irritationNo information available.

Eye damage/irritation No information available.

Sensitization No sensitizing effects known.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Chemical Name	EU Annex I Carcinogen Information	IARC
Titanium dioxide		2B - Possible Human Carcinogen
13463-67-7		_

[•] Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes:

Legend

IARC - International Agency for Research on Cancer

NTP - National Toxicity Program

OSHA - Occupational Safety & Health Administration

Reproductive Effects No information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Neurological EffectsNo information available.

Target Organ Effects No information available.

Symptoms No information available.

Aspiration HazardNo information available.

Section 12: ECOLOGICAL INFORMATION

12.1. Toxicity

Harmful to aquatic life with long lasting effects

Chemical Name	Freshwater Algae Data	Freshwater Fish Species Data	Water Flea Data
Silica, amorphous	EC50 = 440 mg/L (72 h)	LC50 = 5000 mg/L Brachydanio	EC50 = 7600 mg/L (48 h)

[&]quot;No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

FINISH, BASE 1

7631-86-9		rerio (96 h)	
5-Chloro-2-methyl-4-isothiazolin-3-o	EC50 0.11 - 0.16 mg/L (72 h)	LC50 = 1.6 mg/L Oncorhynchus	EC50 = 4.71 mg/L (48 h) EC50
ne		mykiss (96 h)	0.12 - 0.3 mg/L (48 h) EC50 0.71 -
26172-55-4			0.99 mg/L (48 h)

12.2.

Persistence / Degradability

No information available.

12.3.

Bioaccumulation / Accumulation

No information available.

Revision Date: 09-Nov-2017

Chemical Name	log Pow =
1,2-Benzisothiazolin-3-one	1.3
2634-33-5	
5-Chloro-2-methyl-4-isothiazolin-3-one	0.75
26172-55-4	

<u>12.4.</u>

Mobility in soil No information available.

Mobility in Environmental Media No information available.

<u>12.5.</u>

PBT and vPvB assessment No information available.

12.6.

Other adverse effects No information available

Section 13: DISPOSAL CONSIDERATIONS

<u>13.1.</u>

Waste from Residues/Unused Products Dispose of in accordance with the European Directives on

waste and hazardous waste.

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal NoNo information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

Section 14: TRANSPORT INFORMATION

IMDG / IMO Not regulated

RID Not regulated

FINISH, BASE 1

Revision Date: 09-Nov-2017

Not regulated ADR

Not regulated ADN

Not regulated IATA

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Occupational Illnesses (R-463-3, France)

Chemical Name	French RG number
Silica, amorphous 7631-86-9	RG 25
1,2-Benzisothiazolin-3-one 2634-33-5	RG 65

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AICS: Australia No - Not all of the components are listed. **DSL: Canada** No - Not all of the components are listed. One or more component is listed on NDSL.

EINECS: European Union No - Not all of the components are listed. **ENCS**: Japan No - Not all of the components are listed. No - Not all of the components are listed. **IECS: China KECL: South Korea** No - Not all of the components are listed. **PICCS: Philippines** No - Not all of the components are listed.

TSCA: United States Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances **KECL** - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2.

Chemical Safety Report

No information available

Section 16: OTHER INFORMATION

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

4841X - ULTRA SPEC SCUFF-X INTERIOR MATTE FINISH, BASE 1

H302 - Harmful if swallowed

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H331 - Toxic if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 09-Nov-2017

855-724-6802

Issuing Date 09-Nov-2017

Revision Date: 09-Nov-2017

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet