

SAFETY DATA SHEET

This safety data sheet was created pursuant to the requirements of: Regulation (EC) No. 1907/2006 and Regulation (EC) No. 1272/2008

Revision Number: 1 Issuing Date 17-Aug-2022 Revision Date: 28-Aug-2022

PRODUCT AND COMPANY IDENTIFICATION SECTION 1.

Product Name BEN INTERIOR LATEX PAINT & PRIMER MATTE - BASE 1

Product Code N6241X **Alternate Product Code** N6241X

Product Class Water thinned paint

Recommended use Paint

Manufacturer Only Representative (OR) Supplier

ITS Testing Services (UK) Ltd. Benjamin Moore & Co. Benjamin Moore UK Ltd. 101 Paragon Drive Bainbridge House 804 Oxford Avenue Montvale, NJ 07645 86-90 London Road Slough SL1 4LN Phone: 1-866-708-9180 Manchester Ph: +44 (0) 1753 575756 www.benjaminmoorepaint.co.uk

United Kingdom www.benjaminmoore.com

M1 2PW e-mail: ies01.reach@intertek.com

CHEMTREC: +1-703-741-5970 **Emergency Telephone**

CHEMTREC: (United Kingdom Local Number): +44-870-8200418

CHEMTREC: (London Local Number) +(44)-203-8073798

2.1. Classification of the substance or mixture

Regulation (EC) No 1272/2008

Skin sensitization Category 1A - (H317)

2.2. Label elements

Product Identifier

Contains 1,2-Benzisothiazolin-3-one, 2-Methyl-4-isothiazolin-3-one



Signal word Warning

N6241X - BEN INTERIOR LATEX PAINT & PRIMER MATTE - BASE 1

Revision Date: 28-Aug-2022

Hazard statements

H317 - May cause an allergic skin reaction

EUH208 - Contains (5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1)). May produce an allergic reaction

EUH211 - Warning! Hazardous respirable droplets may be formed when sprayed. Do not breathe spray or mist

Precautionary Statements - EU (§28, 1272/2008)

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray

P280 - Wear protective gloves

P321 - Specific treatment (see supplemental first aid instructions on this label)

P333 + P313 - If skin irritation or rash occurs: Get medical advice/attention

P362 + P364 - Take off contaminated clothing and wash it before reuse

P501 - Dispose of contents/ container to an approved waste disposal plant

2.3. Other hazards

General Hazards No information available

SECTION 3. COMPOSITION / INFORMATION ON INGREDIENTS

3.1 Substances

Not applicable

3.2 Mixtures

| Chemical name | EINECS/ELINCS No. | CAS No | Weight-% | Classification according to Regulation (EC) No. 1272/2008 [CLP] | REACH registration number | UK REACH Registration Number (DUIN) |
|-----------------------------------|------------------------|------------|------------------|---|---------------------------|---|
| Titanium dioxide | 236-675-5 257-372-4 | 13463-67-7 | >=15 - <20 | Not available | 01-2119489379-17 -0168 | UK-01-733619750 6-0-0011 |
| Silica amorphous | 231-545-4 | 7631-86-9 | >=1 - <5 | Not available | 01-2119379499-16 -0281 | UK-01-250993046 1-7-0005 |
| Kaolin | 310-194-1 | 1332-58-7 | >=1 - <5 | Not available | | |
| 1,2-Benzisothiazolin-3-one | 220-120-9 | 2634-33-5 | >=0.05 - <0.1 | Acute Tox 4 (H302) Skin Irrit. 2 (H315) Eye Dam. 1 (H318) Skin Sens. 1 (H317) Aquatic Acute 1 (H400) | | |
| 2-Methyl-4-isothiazolin-3-o ne | 220-239-6 | 2682-20-4 | >=0.001 - <0.005 | Skin Corr. 1B (H314) Eye Dam 1 (H318) Skin Sens. 1A (H317) Acute Tox. 3 (H301) Acute Tox. 3 (H311) Acute Tox. 2 (H330) Aquatic Acute 1 (H400) Aquatic chronic 1 | | |

| | | | | (H410) | |
|----------------------------|-----------|------------|------------------|-------------------|--|
| 5-Chloro-2-methyl-3(2H)-is | 247-500-7 | 55965-84-9 | >=0.001 - <0.005 | Acute Tox. 3 | |
| othiazolone mixture with | 220-239-6 | | | (H301) | |
| 2-methyl-3(2H)-isothiazolo | | | | Acute Tox. 2 | |
| ne (3:1) | | | | (H310) | |
| | | | | Acute Tox. 3 | |
| | | | | (H330) | |
| | | | | Skin Corr. 1C | |
| | | | | (H314) | |
| | | | | Eye Dam 1 (H318) | |
| | | | | Skin Sens. 1 | |
| | | | | (H317) | |
| | | | | Aquatic Acute 1 | |
| | | | | · (H400) | |
| | | | | Aquatic Chronic 1 | |
| | | | | · (H410) | |

4.1. Description of first aid measures

Description of first aid measures

General Advice No hazards which require special first aid measures.

Eye Contact Rinse thoroughly with plenty of water for at least 15

minutes and consult a physician.

Skin Contact Wash off immediately with soap and plenty of water while

removing all contaminated clothes and shoes.

Revision Date: 28-Aug-2022

Inhalation Move to fresh air. If symptoms persist, call a physician.

Ingestion Clean mouth with water and afterwards drink plenty of

water. Consult a physician if necessary.

4.2. Most important symptoms and effects, both acute and delayed

Most Important Symptoms/Effects

May cause allergic skin reaction.

4.3. Indication of any immediate medical attention and special treatment needed

Notes To Physician Treat symptomatically.

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local

circumstances and the surrounding environment.

Unsuitable Extinguishing Media No information available.

5.2. Special hazards arising from the substance or mixture

Specific Hazards Arising From The Chemical Closed containers may rupture if exposed to fire or

extreme heat.

N6241X - BEN INTERIOR LATEX PAINT & PRIMER

MATTE - BASE 1

Sensitivity to static discharge No

Sensitivity to mechanical impact No

5.3. Advice for firefighters

Protective equipment and precautions for firefighters Wear self-contained breathing apparatus and protective

suit

6.1. Personal precautions, protective equipment and emergency procedures

Personal Precautions Avoid contact with skin, eyes and clothing. Ensure

adequate ventilation.

Other Information Observe all relevant local and international regulations.

6.2. Environmental precautions

Environmental precautionsSee Section 12 for additional Ecological Information.

6.3. Methods and material for containment and cleaning up

Methods for Containment Absorb with inert material and place in suitable container

for disposal.

Methods for Cleaning Up Clean contaminated surface thoroughly.

6.4. Reference to other sections

Other information See Section 12 for additional information.

7.1. Precautions for safe handling

Handling Avoid contact with skin, eyes and clothing. Avoid breathing

vapors, spray mists or sanding dust. In case of insufficient

Revision Date: 28-Aug-2022

ventilation, wear suitable respiratory equipment.

Hygiene Measures Wash thoroughly after handling.

7.2. Conditions for safe storage, including any incompatibilities

Storage Keep container tightly closed. Keep out of the reach of

children.

7.3. Specific end use(s)

Specific Uses Architectural coating. Apply as directed. Refer to product

label / literature for specific instructions.

Risk Management Methods (RMM) Not Applicable.

8.1. Control parameters

| Chemical name | European Unio | n Belgium | n | Bulga | ria | Су | /prus | | France | Ireland |
|--------------------------------|----------------------------|-------------------|------------------|------------------------|-------------------|--|-----------|-------|--------------------------|--|
| Titanium dioxide | - | TWA: 10 mg | g/m³ | TWA: 10.0 | | | - | TW | A: 10 mg/m ³ | TWA: 10 mg/m ³ |
| 13463-67-7 | | | | TWA: 1.0 | mg/m ³ | | | | | TWA: 4 mg/m ³ |
| | | | | | | | | | | STEL: 30 mg/m ³ STEL: 12 mg/m ³ |
| Silica amorphous | TWA: 0.1 mg/m ³ | 1 | | TWA: 0.07 | 7 ma/m³ | | _ | | | TWA: 6 mg/m ³ |
| 7631-86-9 | I TVVA. 0.1 mg/m | ´ - | | 1 VVA. 0.07 | mg/m² | | - | | - | TWA: 2.4 mg/m ³ |
| 7031-00-9 | | | | | | | | | | STEL: 18 mg/m ³ |
| | | | | | | | | | | STEL: 7.2 mg/m ³ |
| Kaolin | _ | TWA: 2 mg | ı/m³ | TWA: 3.0 | ma/m³ | | - | TW | A: 10 mg/m ³ | TWA: 2 mg/m ³ |
| 1332-58-7 | | | , | TWA: 6.0 | | | | | | |
| Chemical name | Germany TRGS | Greece | • | Hung | ary | Ice | eland | lta | aly MDLPS | Latvia |
| Titanium dioxide | - | TWA: 10 mg | g/m³ | - | | 6 mg/ | m³ TWA | | - | TWA: 10 mg/m ³ |
| 13463-67-7 | | TWA: 5 mg | J/m ³ | | | | | | | |
| Silica amorphous | TWA: 4 mg/m ³ | - | | - | | | - | | - | TWA: 1 mg/m ³ |
| 7631-86-9 | | | | | | | | | | |
| Kaolin | - | - | | - | | 2.0 mg | g/m³ TWA | | - | - |
| 1332-58-7 | 1.74 | N. (1. 1. 1. | | | | | | | | 11 % 11% |
| Chemical name | Lithuania | Netherlands | | oland | | ania | Spain | | Sweden | United Kingdom |
| Titanium dioxide 13463-67-7 | TWA: 5 mg/m ³ | - | | : 30 mg/m ³ | | 0 mg/m ³ 5 mg/m ³ | TWA: 10 m | ng/m³ | TLV: 5 mg/m ³ | |
| 13403-07-7 | | | I WA. | 10 mg/m ³ | SIEL. I | 5 mg/m² | | | | TWA: 4 mg/m ³ STEL: 30 mg/m ³ |
| | | | | | | | | | | STEL: 30 mg/m ³ |
| Silica amorphous | _ | TWA: 0.075 | | | | | _ | | _ | TWA: 6 mg/m ³ |
| 7631-86-9 | _ | mg/m ³ | | _ | | | _ | | _ | TWA: 2.4 mg/m ³ |
| 7001000 | | 1119/111 | | | | | | | | TWA: 0.1 mg/m ³ |
| | | | | | | | | | | STEL: 18 mg/m ³ |
| | | | | | | | | | | STEL: 7.2 mg/m ³ |
| Kaolin | - | - | TWA: | 10.0 mg/m ³ | | - | TWA: 2 m | g/m³ | - | TWA: 2 mg/m ³ |
| 1332-58-7 | | | | | | | | - | | STEL: 6 mg/m ³ |

8.2. Exposure controls

Occupational exposure controls

Engineering Measures Ensure adequate ventilation, especially in confined areas.

Personal Protective Equipment

Respiratory Protection In case of insufficient ventilation wear suitable respiratory

equipment.

Eye Protection Safety glasses with side-shields.

Skin Protection Lightweight protective clothing.

Hand protection Impervious gloves.

Hygiene Measures Avoid contact with skin, eyes and clothing. Remove and

wash contaminated clothing before re-use. Wash

Revision Date: 28-Aug-2022

thoroughly after handling.

9.1. Information on basic physical and chemical properties

Appearance liquid

Odor little or no odor

Odor Threshold No information available

MATTE - BASE 1

Revision Date: 28-Aug-2022

| Property | Values_ | Remarks Method |
|--------------------------------|--------------------------|----------------|
| Density (g/L) | 1294 - 1342 | None known |
| Relative Density | 1.29 - 1.34 | |
| pH | No information available | None known |
| Viscosity (cps) | No information available | None known |
| Solubility(ies) | No information available | None known |
| Water solubility | No information available | None known |
| Evaporation Rate | No information available | None known |
| Vapor pressure @20 °C (kPa) | No information available | None known |
| Relative vapor density | No information available | None known |
| Wt. % Solids | 50 - 60 | None known |
| Vol. % Solids | 30 - 40 | None known |
| Wt. % Volatiles | 40 - 50 | None known |
| Vol. % Volatiles | 60 - 70 | None known |
| Boiling Point (°C) | 100 | None known |
| Freezing Point (°C) | 0 | None known |
| Melting Point (°C) | No information available | None known |
| Pour Point | No information available | None known |
| Flash Point (°C) | Not applicable | None known |
| Flammability (solid, gas) | No information available | None known |
| Upper flammability limit: | No information available | None known |
| Lower flammability limit: | No information available | None known |
| Autoignition Temperature (°C) | No information available | None known |
| Decomposition Temperature (°C) | No information available | None known |
| Partition coefficient | No information available | None known |
| Explosive properties | No information available | None known |
| Oxidizing Properties | No information available | None known |

10.1. Reactivity

Reactivity Not Applicable.

10.2. Chemical stability

Chemical Stability Stable under normal conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions None under normal conditions of use.

10.4. Conditions to avoid

Conditions to avoid Prevent from freezing.

10.5. Incompatible materials

Incompatible MaterialsNo materials to be especially mentioned.

10.6. Hazardous decomposition products

Hazardous Decomposition Products

None under normal conditions of use.

11.1. Information on toxicological effects

MATTE - BASE 1

Product Information

Inhalation There is no data available for this product.

Eye contactThere is no data available for this product.

Skin contact Repeated or prolonged skin contact may cause allergic

reactions with susceptible persons.

Revision Date: 28-Aug-2022

Ingestion There is no data available for this product.

Acute Toxicity

The following values are calculated based on chapter 3.1 of the GHS document

ATEmix (oral) 47,483.90 mg/kg **ATEmix (dermal)** 89,761.20 mg/kg

Component Information Caution - This mixture contains a substance not yet fully tested

| Chemical name | Oral LD50 | Dermal LD50 | Inhalation LC50 |
|--|---|--|--|
| Titanium dioxide 13463-67-7 | > 10000 mg/kg (Rat) | | |
| Silica amorphous 7631-86-9 | = 7900 mg/kg (Rat) | > 2000 mg/kg (Rabbit) | |
| Kaolin 1332-58-7 | > 5000 mg/kg (Rat) | > 5000 mg/kg (Rat) | |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | = 1020 mg/kg (Rat) | > 2000 mg/kg (Rat) | |
| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | | = 200 mg/kg (Rabbit) | |
| 5-Chloro-2-methyl-3(2H)-isothiazolo ne mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | = 53 mg/kg(Rat) = 481 mg/kg(Rat) 232 - 249 mg/kg(Rat) = 120 mg/kg(Rat) | = 87.12 mg/kg (Rabbit) = 200 mg/kg (Rabbit) | = 1.23 mg/L (Rat) 4 h = 0.11 mg/L (Rat) 4 h |

Skin corrosion/irritation No information available.

Eye damage/irritation No information available.

Sensitization May cause an allergic skin reaction.

Mutagenic Effects No information available.

Carcinogenic effects

The table below indicates whether each agency has listed any ingredient as a carcinogen.

| Chemical name | European Union | IARC |
|------------------|----------------|--------------------------------|
| Titanium dioxide | | 2B - Possible Human Carcinogen |
| 13463-67-7 | | |

[•] Although IARC has classified titanium dioxide as possibly carcinogenic to humans (2B), their summary concludes: "No significant exposure to titanium dioxide is thought to occur during the use of products in which titanium dioxide is bound to other materials, such as paint."

N6241X - BEN INTERIOR LATEX PAINT & PRIMER

MATTE - BASE 1

Revision Date: 28-Aug-2022

Legend

IARC - International Agency for Research on Cancer

Reproductive Effects No information available.

Developmental EffectsNo information available.

STOT - single exposureNo information available.

STOT - repeated exposureNo information available.

Neurological Effects No information available.

Target organ effects No information available.

Symptoms No information available.

Aspiration Hazard No information available.

12.1. Toxicity

The environmental impact of this product has not been fully investigated

| Chemical name | Algae/aquatic plants | Fish | Crustacea |
|-------------------------------------|----------------------------------|-----------------------------------|------------------------------------|
| Silica amorphous | EC50: =440mg/L (72h, | LC50: =5000mg/L (96h, Brachydanio | EC50: =7600mg/L (48h, |
| 7631-86-9 | Pseudokirchneriella subcapitata) | rerio) | Ceriodaphnia dubia) |
| 5-Chloro-2-methyl-3(2H)-isothiazolo | EC50: 0.11 - 0.16mg/L (72h, | LC50: =1.6mg/L (96h, Oncorhynchus | EC50: =4.71mg/L (48h, Daphnia |
| ne mixture with | Pseudokirchneriella subcapitata) | mykiss) | magna) |
| 2-methyl-3(2H)-isothiazolone (3:1) | EC50: 0.03 - 0.13mg/L (96h, | | EC50: 0.12 - 0.3mg/L (48h, Daphnia |
| 55965-84-9 | Pseudokirchneriella subcapitata) | | magna) |
| | | | EC50: 0.71 - 0.99mg/L (48h, |
| | | | Daphnia magna) |

12.2. Persistence and degradability

Persistence / Degradability

No information available.

12.3. Bioaccumulative potential

Bioaccumulation There is no data for this product.

| Chemical name | Partition coefficient |
|--|-----------------------|
| 1,2-Benzisothiazolin-3-one | 1.3 |
| 2634-33-5 | |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with | -0.71 - 0.75 |
| 2-methyl-3(2H)-isothiazolone (3:1) | |
| 55965-84-9 | |

12.4. Mobility in soil

Mobility in soil No information available.

Mobility in Environmental Media No information available.

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment

This substance is not considered to be persistent, bioaccumulating nor toxic (PBT).

Revision Date: 28-Aug-2022

| Chemical name | PBT and vPvB assessment |
|--|---|
| Titanium dioxide 13463-67-7 | The substance is not PBT / vPvB PBT assessment does not apply |
| Silica amorphous 7631-86-9 | The substance is not PBT / vPvB PBT assessment does not apply |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | The substance is not PBT / vPvB |
| 2-Methyl-4-isothiazolin-3-one 2682-20-4 | The substance is not PBT / vPvB |
| 5-Chloro-2-methyl-3(2H)-isothiazolone mixture with 2-methyl-3(2H)-isothiazolone (3:1) 55965-84-9 | The substance is not PBT / vPvB |

12.6. Other adverse effects

Other adverse effects

13.1. Waste treatment methods

Waste from Residues/Unused Products

Dispose of in accordance with the European Directives on

waste and hazardous waste.

No information available

Contaminated Packaging Empty containers should be taken for local recycling,

recovery or waste disposal.

EWC waste disposal No No information available

Other Information Waste codes should be assigned by the user based on the

application for which the product was used.

IMDG Not regulated

RID Not regulated

ADR Not regulated

ADN Not regulated

<u>IATA</u> Not regulated

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations

Occupational Illnesses (R-463-3, France)

Revision Date: 28-Aug-2022

| Chemical name | French RG number |
|---|------------------|
| Silica amorphous 7631-86-9 | RG 25 |
| 1,2-Benzisothiazolin-3-one 2634-33-5 | RG 65 |

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

International Inventories

AllC

DSL: Canada

No - Not all of the components are listed.

Yes - All components are listed or exempt.

No - Not all of the components are listed.

Substances

ENCS
IECSC
No - Not all of the components are listed.
No - Not all of the components are listed.
KECL
No - Not all of the components are listed.
No - Not all of the components are listed.
TSCA: United States

No - Not all of the components are listed.
Yes - All components are listed or exempt.

Legend

AICS - Australian Inventory of Chemical Substances

DSL/NDSL - Canadian Domestic Substances List/Non-Domestic Substances List

IECSC - China Inventory of Existing Chemical Substances

EINECS/ELINCS - European Inventory of Existing Chemical Substances/European List of Notified Chemical Substances

ENCS - Japan Existing and New Chemical Substances

KECL - Korean Existing and Evaluated Chemical Substances

PICCS - Philippines Inventory of Chemicals and Chemical Substances

TSCA - United States Toxic Substances Control Act Section 8(b) Inventory

15.2. Chemical safety assessment

Chemical Safety Report

No information available

Full text of H-Statements referred to under section 3

H301 - Toxic if swallowed

H302 - Harmful if swallowed

H310 - Fatal in contact with skin

H311 - Toxic in contact with skin

H314 - Causes severe skin burns and eye damage

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H318 - Causes serious eye damage

H330 - Fatal if inhaled

H400 - Very toxic to aquatic life

H410 - Very toxic to aquatic life with long lasting effects

Classification procedure: Expert judgment and weight of evidence determination

Key literature references and sources for dataData from internal and external sources

N6241X - BEN INTERIOR LATEX PAINT & PRIMER MATTE - BASE 1

Prepared By Product Stewardship Department

Benjamin Moore & Co. 101 Paragon Drive Montvale, NJ 07645 Revision Date: 28-Aug-2022

800-225-5554

Issuing Date 17-Aug-2022

Revision Date: 28-Aug-2022

Revision Summary Initial Release

Disclaimer

The information contained herein is presented in good faith and believed to be accurate as of the effective date shown above. This information is furnished without warranty of any kind. Employers should use this information only as a supplement to other information gathered by them and must make independent determination of suitability and completeness of information from all sources to assure proper use of these materials and the safety and health of employees. Any use of this data and information must be determined by the user to be in accordance with applicable federal, provincial, and local laws and regulations.

End of Safety Data Sheet